



Nordic Sport - the little big company

Nordic Sport is a company from the north of Sweden, which is currently considered one of the world's leading suppliers of athletics equipment. The head office is located in Skellefteå, with branches in Arvidsjaur and Stockholm in Sweden, and in

Tallinn, Estonia. Overall, the company has thirty employees.

Börje Österberg is the man behind the company that he founded in 1972. When he bought Sandvik's production of sports products he decided to start investing in athletics equipment. Today our production of Javelins is in Arvidsjaur, Sweden. Something that few people in the world know about is the technology behind production.

Andreas Thorkildsen is one of many athletes who uses the company's cutting-edge Javelins.

Over the years the company has obtained the trust of being a total equipment supplier to many of the major championships, worldwide. Nordic Sport has been a total equipment supplier to the World Athletics Championships in Helsinki in 2008, the European Athletics Championships in Gothenburg in 2006 and the Junior World Championships in Athletics in Bydgoszcz, Poland in 2008, amongst many others.

Staff

Emma Lundkvist

Managing Director +46 910 76 40 02 emma@nordicsport.se

Dennis Österberg

Product Development and Marketing +46 910 76 40 05 dennis@nordicsport.se

Elisabeth Marklund

Economy +46 910 76 40 11 elisabeth@nordicsport.se

Stefan Makris

Sales +46 910 76 40 04 stefan@nordicsport.se

Lars Söderström

Sales +46 910 76 40 16 lasse@nordicsport.se

Dick Hedman

Purchase and Logistics +46 910 76 40 06 dick@nordicsport.se

Ksenia Korneeva

Sales Eastern Europe +372 6 398 061 ksenia@nordicsport.ee

Carola Ladås

Ekonomy Assistant +46 910 76 40 01 carola@nordicsport.se

Lars Forsberg

Pole Vault production Manager +46 910 76 40 00 forsberg@nordicsport.se

Lennart Jonsson

Javelin production Manager +46 960 210 40 lennart@nordicsport.se

Erik Scherdin

Warehouse +46 910 76 40 14 erik.scherdin@nordicsport.se

Reference list

2014

European Championships, Zurich

2013

XL Galan, Stockholm British Athletics Series, Glasgow European Indoor Championships, Gothenburg Samsung Diamond League, DNGalan Stockholm Samsung Diamond League, Weltklasse Zurich South American Championships, Colombia Bolivarian Games, Peru

2012

European Championships, Helsinki Samsung Diamond League, DNGalan Stockholm Samsung Diamond League, Weltklasse Zurich XL Galan, Stockholm South East Asian Games, Indonesia Ibero-American Championships, Venezuela

European Junior Championships, Tallinn European Team Championships, Stockholm European Team Championships, Novi Sad Samsung Diamond League DN-galan, Stockholm World Championship Daegu Pan-American Games, Mexico

2010

Samsung Diamond League DN-galan 5th South East Asia Junior Athletics Championship, Malasya 19th Commonwealth Games, India African Athletics Championships, Nairobi

European Junior Championships, Novi Sad Samsunggalan, Göteborg GE Galan, Stockholm National Indonesian Games, Borneo Commonwealth Youth Games, Pune

2008

Olympiska Spelen, Beijing World Junior Championships, Bydgoszcz SamsungGalan, Göteborg GE-galan, Stockholm

2007

Pan-Amerikanska spelen, Rio de Janeiro Stillahavs spelen, Samoa EuroJump, Göteborg GE-galan, Stockholm

2006

EM, Göteborg Sukma, Penang Inomhus-VM, Moskva Europeiska cupen, Thessaloniki Asiatiska Spelen, Qatar Commonwealth Games, Melbourne

Sydostasiatiska Spelen, Manila VM, Helsingfors Asiatiska Mästerskapen, Inceon City Europeiska vintercupen kast, Mersin

Europacupen grupp B, Novi Sad OS. Aten Nationella OS, Palembang Indonesien IAAF Golden league Bislett, Bergen GP, Rio de Janeiro

2003

VM. Paris Pan-Am Spelen, Santo Domingo SM, Norrtälje DN-galan, Stockholm

2002

Centralam. & Karibiska Spelen, San Salvador EM, München

Asiatiska Mästerskapen, Colombo Commonwealth Games, Manchester Internationella Ungdomsspelen, Moskva Asiatiska Spelen, Busan Brasiliens IAAF Grand Prix, Belem

2001

VM, Edmonton Veteran-VM, Brisbane Goodwill Games, Brisbane Fransktalande länders Spel, Ottawa Centralam. & Karibiska Spelen, Guatemala City

2000

OS, Sydney Nationella Olympiska Spelen, Surabaya Junior-VM, Santiago

1999

VM, Sevilla Junior-EM, Göteborg Pan-Arabiska Spelen, Amman Junior-EM, Riga

Commonwealth Games, Kuala Lumpur Internationella Ungdomsspelen, Moskva Asiatiska Spelen, Bangkok Asiatiska Pacific Masters Games, Jakarta

1997

Inomhus-VM, Paris Baltiska Spelen, Kaunas VM, Aten Pan-Am. Junior-spelen, Havanna Centralasiatiska Spelen, Alma-Ata Arabiska Mästerskapen, Beirut Sea Games, Jakarta

1996

OS, Atlanta Inomhus-EM, Stockholm Grand-Prix finalen, Milano

JELTKLASSE

Officiell supplier



























Track & Field

10 **JAVELINS** 28 **POLES** 36 **POLE VAULT** 42 HIGH JUMP 45 **PITS 57** LONG & TRIPLE JUMP 60 STARTING EQUIPMENT 63 **HURDLES** 68 **RUNNING** 70 TIMING & CONTROL DEVICES **78 DISCUS** 81 **HAMMER & SHOTS** 86 THROWING CAGES 89 THROWING EQUIPMENT **97**

TRAINING ACCESSORIES



Explanation of symbols













"The IAAF has a worldwide responsibility to guarantee validity and accuracy of performances and to support any initiative to improve athletic goods. The IAAF Certification System raises the standard in athletics, thus it will help improve the level of competitions", said Primo Nebiolo, the former President of the IAAF.

As one of the world's leading suppliers of track and field equipment, we have to have quality products and provide a wide range. In this chapter you will find materials for booth beginners and top-level athletes – everything from our produced javelins and vault poles to our high jump pits and throwing cages.

Track & Field



There is a Nordic Sport javelin for every thrower

Nordic javelins is a hallmark among competitive sportsmen and organizers all over the world. The famous Swedish javelins were first manufactured from thin-walled steel tubing by Seefab, Sandviken, more than 50 years ago, and have since then earned worldwide fame. In 1973 Nordic Sport took over the production.

A wide range of top achievements have been made with Nordic javelins; Numerous Olympic medals, World Championships medals and World records. The result achieved by a javelin thrower depend of course on his competence. The materials and the construction of his javelin, however, are of the utmost importance.

As a result of unique know-how and intensive research, the quality of the Nordic javelin has continuously been improved. We are determined to maintain this development.

Nordic javelins have won more championship medals and beaten more records than any other javelin in the world. Nordic Sport presents a wide range of javelins. All manufactured with the famous Nordic finish and Nordic quality.

MEDALS, JAVELIN THROWING MEN Olympic Games 1972-2008

PLACE YEAR	NAME	RESULT	JAVELIN	PLACE YEAR	NAME	RESULT	JAVELIN
München	1. Wolfermann, BRD	90,48	Nordic Steel	Atlanta	1. Zelezny, TCH	88,16	OTE
1972	2. Lusis, USSR	90,46	Nordic Steel	1996	2. Backley, ENG	87,44	Nordic Steel
-77 -	3. Schmidt, USA	84,42	Nordic Steel	-,,,-	3. Räty, FIN	86,98	Nordic Steel
Montreal	1. Nemeth, UNG	94,58	Apollo	Sydney	1. Zelezny, TCH	90,17	Nordic Carbon
1976	2. Siitonen, FIN	87,92	Nordic Steel	2000	2. Backley, ENG	89,85	Nordic Carbon
	3. Megelea, RUM	87,16	Nordic Steel		3. Makarov, RUS	88,67	Nordic Carbon
Moskva	1. Kula, USSR	91,20	Nordic Steel	Athen	1. Thorkildsen, NOR	86,50	Nemeth
1980	Makarov, USSR	89,64	Nordic Steel	2004	Vasilevskis, LAT	84,95	Nordic Carbon
	3. Hanisch, DDR	86,72	Nordic Steel		3. Makarov, RUS	84,84	Nordic Carbon
Los Angeles	1. Härkönen, FIN	86,76	Apollo	Peking	1. Thorkildsen, NOR	90,57	Nordic Airglider Carbon
1984	2. Ottley, ENG	85,74	Apollo	2008	2. Kovals, LAT	86,64	Nordic Champion Carbon
2904	3. Eldebrink, SVE	83,72	Nordic Steel	2000	3. Pitkämäki, FIN	86,16	Nordic Champion Carbon
		3.,					,
Seoul	1. Korjus, FIN	84,28	Nordic Steel	London	1. Keshorn Walcott, TRI	84.58	Champion Carbon
1988	2. Zelezny, TCH	84,12	Nordic Steel	2012	2. Oleksandr Pyatnytsya, UKR	84.51	Champion Carbon
	3. Räty, FIN	83,26	Nordic Steel		3. Antti Ruuskanen, FIN	84.12	Orbit Carbon
Danielana	. 7-1 TOU	0-77	Namelia Charl				
Barcelona	1. Zelezny, TCH	89,66	Nordic Steel				
1992	2. Räty, FIN	86,60	Nordic Steel				
	3. Backley, ENG	83,38	Nordic Steel				



LEGENDARY ATHLETES Who have thrown Nordic through the years

NAME	NATIONALI
Janis Lusis	LAT
Klaus Wolferman	GER
Miklos Nemeth	HUN
Uwe Hohn	DDR
Jan Zelezny	CZE
Tom Petranoff	USA
Steve Backley	GBR
Aki Parviainen	FIN
Sergey Makarov	RUS
Breaux Greer	USA
Tero Pitkämäki	FIN
Raymond Hecht	GER

LEGENDARY WOMEN ATHLETES Who have thrown Nordic through the years

NAME	NATIONALITY
Ruth Fuchs	DDR
Petra Felke	DDR
Fatima Whitbread	ENG
Tina Lillak	FIN
Trine Hattestad	NOR

Read more at


http://www.nordicsport.com/blog/category/Javelins


Nordic Sport establishes flex chart javelin range!

To indicate that a javelin is made for certain distance feels, after the rule changes that came into effect from 1986 onwards anachronistic. Nordic Sport have gradually left the old way of thinking and most of our models do not have now the old meters designation. We are now introducing a completely new system, taking into account the javelins stiffness degree in combination with other aerodynamic factors. Stiffness and other aerodynamic factors become more important the higher the speed of release of a javelin is. Speed of release, coupled with appropriate angles of release and clean hit of the spear, is dependent on the individual athlete's physical capabilities, technical skill and sense of equipment. The lower flex a javelin has, the greater requirement for throwers both technical and physical ability.

Javelin with flex 6.0 or lower is recommended only for skilled throwers with capacity over 70 (men) and 50 (women) meters, but significant benefits with these javelins is only visible when technically pure throws of 80 and 60 meters is achieved. Javelin with flex 6.1 to 8.0 is slightly more forgiving, but you can throw very far. At flex 8.1 to 10.0, the javelin designed so that they will land with the tip first clear even at moderate throws. These are best suited for example for Decathlon throwers, who do not have javelin as one of its main disciplines. Javelin with flex 10.1 and higher is recommended only as beginner javelin and for volume throwing in training!

Javelin made of carbon fiber is typically our most rigid javelins, and therefore most demanding, but also those of a really talented throwers gives it maximum potential. Javelin made of steel is a bit more forgiving than carbon fiber javelin. Javelin, made of fiberglass fits only 600 g javelins or lighter and shows the characteristics that are relatively close carbon fiber javelin, but is slightly more forgiving.







Thorkildsen Edition (4.3) Airglider Carbon (4.5) Champion Carbon (4.8) Orbit Carbon (5.0) Eagle Carbon (5.1) Indra Carbon (5.1) Diana Carbon (5.3) Xena Carbon (5.6) Razer Carbon (5.8) Olympia Carbon (5.9) Zeus Carbon (6.o) Indra Steel (6.o) Airglider Steel (6.1) Diana Steel (6.2) Razer Steel (6.2) Champion Steel (6.4) Aura Glassfiber 600 (6.4) Aura Glassfiber 500 (6.5) Xena Steel (6.5) Orbit Steel (6.6) Super Elite 800 (6.8) Super Elite 700 (6.8) Diana Classic (6.8) Super Elite Classic (7.0) Super Elite Classic (7.2) Diana Classic (7.2) Master 700 (7.4) Master 800 (7.5) Diana Classic (7.7) Master Classic (7.8) Nordic Classic 700 (8.3) Nordic Classic 800 (8.4) Nordic Classic 600 (8.5) Nordic Classic 800(8.7) Nordic Classic 800 (9.0) 60 m 80 m 50 m 70 m 90 m 100 m

Carbon Fiber Javelin 800g

Our most advanced javelins made of carbon fiber and come in four varieties of extremely high requirements! Actual javelins shaft has the same shape, but the models have different stiffness ratio and tip.





1. Javelin Thorkildsen **Edition**





Daegu

2011

Competition javelin of carbon that is developed by the Norwegian javelin thrower Andreas Thorkildsen. The javelins is a further improvement of our Nordic Airglider carbon and is suitable for all type of wind conditions. It is a very stiff javelin and it should only be used by throwers with very high capacity both physical and technical. Flex 4.3. IAAF certified no I-12-0596

art 7916807c

2. Airglider Carbon flex 4.5

All-round Javelin that is suitable for all conditions, but requiring very high capacity, both physically and technically in the thrower. Flex 4.5

art 7916803c

3. Champion Carbon flex 4.8

The javelin is primarily designed for headwind throws. Requires high capacity, both physically and technically in the thrower. Flex 4.8

art 7916800C










2012



SAAP)




art 7916808C.












All-round javelin that is suitable for all conditions - softer and therefore more forgiving than Airglider carbon - the equivalent ponderous! Require relatively high capacity, both physically and technically in the thrower. Flex 6.0

art 7969600c

Steel Javelin 800g _

Our most advanced steel javelins are produced in three variants for very high requirements! The actual javelin body has the same shape, but the models have different tip and slightly different stiffness ratio. The most advanced steel models, the exact same form as their counterparts carbon fiber javelin.



1. Airglider Steel flex 6.1



All-round javelin that is suitable for all conditions. Softer than equivalent carbon model. Requires very good capacity both technically and physically with the thrower. Flex 6.1

art 7916803

5. Super Elite Classic flex 7.0

sically with the thrower. Flex 7.0

art 7916802

The javelin is primarily designed for tailwind throws.

Requires good capacity both technically and phy-



9. Master Classic Alu flex 7.8

art 7912800A



All-round javelin that is suitable for all conditions. Requires some capacity, both technically and physically with the thrower. Flex 7.8 $\,$

2. Champion Steel flex 6.4



The javelin is primarily designed for headwind throws. Softer than equivalent carbon model. Requires good capacity both technically and physically with the thrower. Flex 6.4

art 7916800

6. Super Elite Classic flex 7.2



The javelin is primarily designed for headwind throws. Requires good capacity both technically and physically with the thrower. Flex 7.2

art 7916804

10. Nordic Classic 800 flex 8.4



Javelin suitable for beginners as well decathlon throwers who do not have javelin as best event. Lands usually with the tip first from 40 meters. Flex 8.4 art 7969601

3. Orbit Steel flex 6.6



The javelin is primarily designed for tailwind throws. Softer than equivalent carbon model. Requires good capacity both technically and physically with the thrower. Flex 6.6

art 7916808

7. Master 800 flex 7.5



All-round javelin that is suitable for all conditions. Requires some capacity, both technically and physically with the thrower. Flex 7.5

art 7913800

11. Nordic Classic 800 flex 8.7



Javelin suitable for beginners as well decathlon throwers who do not have javelin as best event. Lands usually with the tip first from 35 meters. Flex 8.7 art 7969602

4. Super Elite 800 flex 6.8



All-round javelin that is suitable for all conditions. Requires good capacity both technically and physically with the thrower. Flex 6.8

art 7916801


8. Master Classic flex 7.8



The javelin is primarily designed for headwind throws. Requires some capacity, both technically and physically with the thrower. Flex 7.8

Carbon and Glass Fiber Javelin 600g

Our most advanced javelin made of carbon fiber and come in four variants, and a model in fiberglass for extremely high requirements! The actual javelin body has the same shape, but the models have different stiffness ratio and tip.



1. Indra Carbon flex 5.1

technically in the thrower. Flex 5.1

All-round Javelin that is suitable for all conditions, but requiring very high capacity, both physically and

MAR!

Barcelona


2012

art 7917605c

2. Diana Carbon flex 5.3

The javelin is primarily designed for headwind throws. Requires high capacity, both physically and technically in the thrower. Flex 5.3

art 7917603C




The javelin is primarily designed for tailwind throws. Requires high capacity, both physically and technically in the thrower. Flex 5.6

art 7917604c

4. Olympia Carbon ╩

3. Xena Carbon flex 5.6



All-round javelin that is suita-Daegu ble for all conditions - softer and therefore more forgiving than Diana carbon - the equivalent ponderous! Require relatively high capacity, both physically and technically in the thrower. Flex 5.9

art 7917606c

5. Aura Fiber glas flex 6,4

All-round javelin that is suitable for all conditions. Fiberglass characteristics make it a little softer than carbon. Require relatively high capacity, both physically and technically of the thrower. Flex 6.4












Steel Javelin 600g

Our most advanced steel javelin are produced in three variations for very high requirements! The actual javelin body has the same shape, but the models have different tip and slightly different stiffness ratio. The most advanced steel models, the exact same design as their counterparts carbon fiber javelin. In addition to these, we have three models each in both the Diana and Nordic Classics.



1. Indra Steel flex 6.0



Softer than equivalent carbon model. Requires very

good capacity both technically and physically with the thrower. Flex 6.0

art 7917605

5. Diana Classic flex 7.2

All-round javelin that is suitable for all conditions. Requires good capacity both technically and physically with the thrower. Flex 7.2

art 7917601

8. Nordic Classic 600 flex

8.5





Javelin suitable for beginners as well decathlon throwers who do not have javelin as best event. Lands usually with the tip first from 35 meters. Flex 8.5 art 7915600

2. Diana Steel flex 6.2

The javelin is primarily designed for headwind throws. Softer than equivalent carbon model. Requires good capacity both technically and physically with the thrower. Flex 6.2

art 7917603

6. Diana Classic flex 7.7

The javelin is primarily designed for headwind throws. Requires good capacity both technically and physically with the thrower. Flex 7.7

art 7917602



9. Nordic Classic 600 flex 8.8

Javelin suitable for beginners as well decathlon throwers who do not have javelin as best event. Lands usually with the tip first from 30 meters. Flex 8.8 art 7915601

3. Xena Steel flex 6.5

The javelin is primarily designed for tailwind throws. Requires high capacity, both physically and technically in the thrower. Flex 6.5

art 7917604



7. Master Alu 600 flex 7.9

All-round javelin that is suitable for all conditions. Requires good capacity both technically and physically with the thrower. Flex 7.9

art 7917600A



10. Nordic Classic 600 flex 9.2

Javelin suitable for beginners as well decathlon throwers who do not have javelin as best event. Lands usually with the tip first from 25 meters. Flex 9.2 art 7915602


4. Diana Classic flex 6.8

The javelin is primarily designed for tailwind throws. Requires good capacity both technically and physically with the thrower. Flex 6.8



Competition Javelin 700g

Our top model, the Eagle, manufactured both in carbon fiber and steel. In order to benefit from Eagles advanced aerodynamic properties are required that the thrower has a capacity of over 70 meters! Our steel javelins has a good spread on the flex rate, making that the highest, Nordic Classic 700, usually provide safe landings with the tip first at throws already from 35 meters.



1. Eagle Carbon flex 5.1

MAF All-round Javelin that is suitable for all conditions, but requiring very high capacity, both physically and technically in the



2. Eagle flex 6.1 All-round javelin that is suitable for all conditions. Softer than equivalent carbon model. Requires very good capacity both technically and physically with the thrower. Flex 6.1





3. Super Elite 700 flex 6.8

All-round javelin that is suitable for all conditions. Requires good capacity both technically and physically with the thrower. Flex 6.8

art 7914703

4. Master 700 flex 7.4

A "forgiving" all-round javelin suitable for all conditions, and that requires moderate capacity, both physically and technically by the thrower. Flex 7.4 art 7914706

5. Javelin Rapid 700g

All-round javelin that is suitable for all conditions. A good competition javelin of "Master-class" with flex 7.2.

art 7914703R

6. Nordic Classic 700 flex 8.3

Javelin suitable for beginners as well as decathlon throwers who do not have javelin as best event. Lands usually with the tip first from 35 meters. Flex 8.3

art 7914707



MAF



MAR!


2011

Lille

2011

Competition Javelin 400g and 500g

Those models of our 500 and 400 g javelin which is recommended for use in competition, like our top models in other weights, equipped with the classic Nordic-helix. These competition models are primarily intended for those who have left the pure beginner stage and have come a long way in their throwing!



1. Super Elite 500 flex 6.9



MAF

All-round javelin that is suitable for all conditions. Requires good capacity both technically and physically with the thrower. Flex 6.9

art 7914704





All-round Javelin that is suitable for all conditions, but requiring very high capacity, both physically and technically in the thrower. Flex 5.8

art 7916500c

4. Rocket Steel 400 flex 6.3

All-round javelin that is suitable for all conditions. Requires good capacity both technically and physically with the thrower. Flex 6.8

art 7916400

2. Razer Steel 500 flex 6.2

All-round javelin that is suitable for all conditions. Requires good capacity both technically and physically with the thrower. Flex 6.2

Viking Steel _____

Our classic, robust training javelin come in all weights from 900 down to 400 grams in the budget price range. Viking javelins is primarily intended for beginners, who can use this model both for training at the competition since both the 800 g, 700 g and 600 g models are IAAF certified. For more advanced throwers Viking is best suited to throwing in volume training and for training with "overweight" implements (ie throw with javelins that are heavier than the thrower normally use in competitions)



Viking 900 flex 10.4

Training for the Javelin throws with overweight javelins. Flex 10.4

art 7920900

Viking 800 flex 10.4

Beginners and training javelin.
Can also be used as a competition javelin and is recommended for the throwers with the capacity of 25-40 meters. Flex 10.4

art 7922800

Viking 700 flex 10.7

Beginners and training javelin. Can also be used as a competition javelin and is recommended for the throwers with the capacity of 20-35 meters. Flex 10.7

art 7924700.

Viking 600 flex 11.1

Beginners and training javelin.
Can also be used as a competition javelin and is recommended for the throwers with the capacity of 15-25 meters. Flex 11.1

art 7925600

Viking 500 flex 11.6

Beginner and training javelin. Flex 11.6

art 7925500

Viking 400 flex 11.9

Beginner and training javelin. Flex 11.9 art 7926400








Comet Aluminum Training Javelin

A soft and very forgiving pure training javelin in the low-price range! Gentle in volume throwing.



Comet Alu 800 flex 11.4

Simple beginner and training javelin. Flex 11.4

art 7961800

Comet Alu 700 flex 11.7

Simple beginner and training javelin. Flex 11.7

art 7961700



Comet Alu 600 flex 12.1

Simple beginner and training javelin. Flex 12.1

art 7961600



art 7961400





Comet Alu 500 flex 12.6

Simple beginner and training javelin. Flex 12.6



Classic Rubber Tip Javelin

A very forgiving pure training javelin! Gentle in volume throwing indoors and on artificial turf.



1. Classic Alu RT 800 g

Javelin suitable for beginners as well professional throwers for training purpose indoors and on artificial grass. Flex 8.7 art 7968800

2. Classic Alu RT 700 g

Javelin suitable for beginners as well professional throwers for training purpose indoors and on artificial grass. Flex 8.3

art 7968700

3. Classic Alu RT 600 g

Javelin suitable for beginners as well professional throwers for training purpose indoors and on artificial grass. Flex 8.8

art 7968600

Javelin suitable for beginners as well professional throwers for training purpose indoors and on artificial grass. Flex 8.8

art 7968500

5. Classic Alu RT 400 g

Javelin suitable for beginners as well professional throwers for training purpose indoors and on artificial grass. Flex 8.9 art 7968400



Nordic Fly-Hi Javelin

Made of aluminium with tip and tail of plastic which are blunt in order to eliminate risk of injury. Cotton cord. Weight 270 g. Length 115 cm. Suited for children between 4-10 years.

art 7900030



Turbo javelin

For training outdoor and indoor. Made of strong polyurethane. Soft tip can be equipped. Weight approx 1.0 kg.

art 7965000



Made of 2 mm white htpp, 90x60x40x50 cm. art 7900022

Vortex Maxi

art 7900020

Accessories _____




Javelin Bag Elite 800

Made of the strongest ang toughest textile material in the world, Cordura®, used by militery forces around the world.

Fill inside with strong ø140mm PE pipe with 5mm thick walls, give your javelins the best protection. Fits maximum 7 javelins.

art 7900032



art 7900034



Javelin bag 600 hard

Javelin bag 800 hard

place for 3 javelins.

Javelin bag of soft, but strong PVC ma-

terial with three plastic pipes. Water resistent with

art 7900031

art 7900029



Flight case

Rigid stainless steel frame javelin case.

Made in mind for athletes to travel a lot. Up to 5 javelins

art 7900025




rial. Water resistent with place for 5-7 javelins.

Javelin bag of soft, but strong PVC mate-









Pole plug orange 28 mm

Orange, option. art 3141028

Pole plug orange 30 mm

art 3141030

Pole plug orange 33 mm

art 3141033

Pole plug orange 35 mm

art 3141035

Pole plug orange 38 mm

art 3141038

Pole plug orange 39 mm

art 3141039

Pole plug orange 41 mm

art 3141041



Pole plug black 28 mm

Black, standard. art 3140028

Pole plug black 30 mm

art 3140030

Pole plug black 33 mm

art 3140033

Pole plug black 38 mm

art 3140037

Pole plug black 40 mm

art 3140040



Wind indicator

Wind sock on a steel stand. art 1150317



Nordic Jump-Hi 2.0 m

Stiff play-pole for children. art 3100001




Nordic Jump-Hi 3.0 m

Stiff play-pole for children. art 3100003




art 3231006



Trolley for Pole bag

Trolley for pole vault bag, for easier transportation on the pole vault bag, instead of carrying it around you sholders.





Garage for Poles

Garage for poles made of solid galvanized steel contruction and aluminium plate. If you are in need of storing your poles securely, this is the strongest and safest solution in the world.

Nordic Pole Nordic Pole is a glass fibre pole for all types of		Nordic art nr	Längd fot/m	Testvikt lbs/kg	Pris kr	Nordic art nr	Längd fot/m	Testvikt lbs/kg	Pris kr	
vaulter. Usually kept in stock. We can also supply			140	13'2"/4,00	140/63		160	15'7"/4,75	160/72	
		now flex our poles in	145	13'2"/4,00	145/66		165	15'7"/4,75	165/74	
accordance	with internation	nal norms.	150	13'2"/4,00	150/68		170	15'7"/4,75	170/77	
			155	13'2"/4,00	155/70		175	15'7"/4,75	175/79	
Nordic	Längd	Testvikt	160	13'2"/4,00	160/72		180	15'7"/4,75	180/81	
art nr	fot/m	lbs/kg Pris kr	165	13'2"/4,00	165/74		185	15'7"/4,75	185/84	
			170	13'2"/4,00	170/77		190	15'7"/4,75	190/86	
3231 060	11'/3,35	60/27	175	13'2"/4,00	175/79		3244 165	16'1"/4,90	165/74	
070	11'/3,35	70/32	180	13'2"/4,00	180/81		170	16'1"/4,90	170/77	
080	11'/3,35	80/36	3230 110	13'7"/4,15	110/50		175	16'1"/4,90	175/79	
090	11'/3,35	90/41	115	13'7"/4,15	115/52		180	16'1"/4,90	180/81	
100	11'/3,35	100/45	120	13'7"/4,15	120/54		185	16'1"/4,90	185/84	
110	11'/3,35	110/50	125	13'7"/4,15	125/57		190	16'1"/4,90	190/86	
120	11'/3,35	120/54	130	13'7"/4,15	130/59		195	16'1"/4,90	195/88	
130	11'/3,35	130/59	135	13'7"/4,15	135/61		200	16'1"/4,90	200/90	
3235 060	11'7"/3,55	60/27	140	13'7"/4,15	140/63		205	16'1"/4,90	205/93	
070	11'7"/3,55 11'7"/3,55	70/32	145	13'7"/4,15	145/66		3238 160	16'5"/5,00	160/72	
080 090	11 7 /3,55	80/36	150	13'7"/4,15	150/68		165	16'5"/5,00	165/74	
		90/41	155	13'7"/4,15	155/70		170	16'5"/5,00	170/77	
100	11'7"/3,55	100/45	160	13'7"/4,15	160/72		175	16'5"/5,00	175/79	
110 120	11'7"/3,55	110/50	165	13'7"/4,15	165/74		180	16'5"/5,00	180/81	
130	11'7"/3,55 11'7"/3,55	120/54	170	13'7"/4,15	170/77		185	16'5"/5,00	185/84	
140	11'7"/3,55	130/59 140/63	3234 110	14'/4,25	110/50		190	16'5"/5,00	190/86	
150	11'7"/3,55	150/68	115	14'/4,25	115/52		195	16'5"/5,00	195/88	
160	11'7"/3,55	160/72	120	14'/4,25	120/54		200	16'5"/5,00	200/90	
170	11'7"/3,55	170/77	125	14'/4,25	125/57		205	16'5"/5,00	205/93	
180	11'7"/3,55	180/81	130	14'/4,25	130/59		210	16'5"/5,00	210/95	
3232 060	12'4"/3,75	60/27	135	14'/4,25	135/61		215	16'5"/5,00	215/98	
070	12'4"/3,75	70/32	140	14'/4,25	140/63		220	16'5"/5,00	220/100	
075	12'4"/3,75	75/34	145	14'/4,25	145/66		3240 170	17'1"/5,20	170/77	
080	12'4"/3,75	80/36	150	14'/4,25	150/68		175	17'1"/5,20	175/79	
085	12'4"/3,75	85/39	155	14'/4,25	155/70		180	17'1"/5,20	180/81	
090	12'4"/3,75	90/41	160	14'/4,25	160/72		185	17'1"/5,20	185/84	
095	12'4"/3,75	95/43	165	14'/4,25	165/74		190	17'1"/5,20	190/86	
100	12'4"/3,75	100/45	170	14'/4,25	170/77		195	17'1"/5,20	195/88	
105	12'4"/3,75	105/47	175	14'/4,25	175/79		200	17'1"/5,20	200/90	
110	12'4"/3,75	110/50	180	14'/4,25	180/81		205	17'1"/5,20	205/93	
115	12'4"/3,75	115/52	3239 120	14'1"/4,30	120/54		210	17'1"/5,20	210/95	
120	12'4"/3,75	120/54	125 130	14'1"/4,30	125/57 130/59		215 220	17'1"/5,20	215/98 220/100	
125	12'4"/3,75	125/57		14'1"/4,30 14'1"/4,30	130/59 135/61		220	17'1"/5,20	220/100	
130	12'4"/3,75	130/59	135 140	14'1"/4,30	135/61 140/63					
135	12'4"/3,75	135/61	145	14'1"/4,30	140/63					
140	12'4"/3,75	140/63	150	14'1"/4,30	150/68					
145	12'4"/3,75	145/66	125	14'1'/4,50	125/57					
150	12'4"/3,75	150/68	130	14'9"/4,50	130/59					
155	12'4"/3,75	155/70	135	14'9"/4,50	135/61					
160	12'4"/3,75	160/72	140	14'9"/4,50	140/63					
165	12'4"/3,75	165/74	145	14'9"/4,50	145/66					
3233 080	13'2"/4,00	80/36	150	14'9"/4,50	150/68					
085	13'2"/4,00	85/39	3236 155	14'9"/4,50	155/70					
090	13'2"/4,00	90/41	160	14'9"/4,50	160/72					
095	13'2"/4,00	95/43	165	14'9"/4,50	165/74					
100	13'2"/4,00	100/45	170	14'9"/4,50	170/77					
105	13'2"/4,00	105/47	175	14'9"/4,50	175/79					
110	13'2"/4,00	110/50	180	14'9"/4,50	180/81					
3233 115	13'2"/4,00	115/52	185	14'9"/4,50	185/84					
120	13'2"/4,00	120/54	3237 140	15'7"// 75	140/63					

125

130

135

13'2"/4,00

13'2"/4,00

13'2"/4,00

125/57

130/59

135/61

3237 140

145

150

155

15'7"/4,75

15'7"/4,75

15'7"/4,75

15'7"/4,75

140/63

145/66

150/68

155/70



Nordic Evolution

Nordic Sport has developed a new pole, which is manufactured of a unique and secret mixture of material. The mixture is completely different from all other poles on the market. The Evolution pole has been tested thoroughly with help of both national

and international elite vaulters with very impressive results. Tests show:

- Lighter than afiberglass pole
- Smaller in diameter than a fiberglass pole
- Bends easy at the beginning of the vault
- Gives a powerful kick-back at final stage of the vault

been tested thoroughly with help of both national			vault				
Nordic art nr	Längd fot/m	Testvikt lbs/kg	Pris kr	Nordic art nr	Längd fot/m	Testvikt lbs/kg	Pris kr
3233 120c	13'2"/4,00	120/54		135c	14'7"/4,45	135/61	
125c	13'2"/4,00	125/57		140c	14'7"/4,45	140/63	
130c	13'2"/4,00	130/59		145c	14'7"/4,45	145/66	
135c	13'2"/4,00	135/61		150c	14'7"/4,45	150/68	
140c	13'2"/4,00	140/63		155c	14'7"/4,45	155/70	
145c	13'2"/4,00	145/66		160c	14'7"/4,45	160/72	
150c	13'2"/4,00	150/68		165c	14'7"/4,45	165/74	
155c	13'2"/4,00	155/70		170c	14'7"/4,45	170/77	
160c	13'2"/4,00	160/72		175c	14'7"/4,45	175/79	
165c	13'2"/4,00	165/74		180c	14'7"/4,45	180/81	
170c	13'2"/4,00	170/77				-	
3230 115c	13'7"/4,15	115/52		3236 120c	14'9"/4,50	120/54 130/59	
120c	13'7"/4,15	120/54		130c	14'9"/4,50	-	
	13'7"/4,15	125/57		135c	14'9"/4,50	135/61	
125c		-		140c	14'9"/4,50	140/63	
130c	13'7"/4,15	130/59		145c	14'9"/4,50	145/66	
135c	13'7"/4,15	135/61		150c	14'9"/4,50	150/68	
140c	13'7"/4,15	140/63		155c	14'9"/4,50	155/70	
145c	13'7"/4,15	145/66		160c	14'9"/4,50	160/72	
150c	13'7"/4,15	150/68		165c	14'9"/4,50	165/74	
155c	13'7"/4,15	155/70		170c	14'9"/4,50	170/77	
160c	13'7"/4,15	160/72		175c	14'9"/4,50	175/79	
165c	13'7"/4,15	165/74		180c	14'9"/4,50	180/81	
170c	13'7"/4,15	170/77		185c	14'9"/4,50	185/84	
175c	13'7"/4,15	175/79		3243 135c	15'1"/4,60	135/61	
3234 100c	14'/4,25	100/45		140c	15'1"/4,60	140/63	
110c	14'/4,25	110/50		145c	15'1"/4,60	145/66	
115c	14'/4,25	115/52		150c	15'1"/4,60	150/68	
120c	14'/4,25	120/54		155c	15'1"/4,60	155/70	
125c	14'/4,25	125/57		160c	15'1"/4,60	160/72	
130c	14'/4,25	130/59		165c	15'1"/4,60	165/74	
135c	14'/4,25	135/61		170c	15'1"/4,60	170/77	
140c	14'/4,25	140/63		175c	15'1"/4,60	175/79	
145c	14'/4,25	145/66		180c	15'1"/4,60	180/81	
150c	14'/4,25	150/68		185c	15'1"/4,60	185/84	
155c	14'/4,25	155/70		3237 135c	15'7"/4,75	135/61	
160c	14'/4,25	160/72		140c	15'7"/4,75	140/63	
165c	14'/4,25	165/74		145c	15'7"/4,75	145/66	
170c	14'/4,25	170/77		150c	15'7"/4,75	150/68	
175c	14'/4,25	175/79		155c	15'7"/4,75	155/70	
180c	14'/4,25	180/81		160c	15'7"/4,75	160/72	
3239 120c	14'1"/4,30	120/54		165c	15'7"/4,75	165/74	
125c	14'1"/4,30	125/54		170c	15'7"/4,75	170/77	
130c	14'1"/4,30	130/59		175c	15'7"/4,75	175/79	
135c	14'1"/4,30	135/61				180/81	
140c	14'1"/4,30	140/63		180c	15'7"/4,75	-	
140C 145C	14 1 /4,30 14'1"/4,30	140/63		3237 185c	15'7"/4,75	185/84	
				190c	15'7"/4,75	190/86	
150c	14'1"/4,30	150/68		195c	15'7"/4,75	195/88	
155c	14'1"/4,30	155/70		200c	15'7"/4,75	200/90	
160c	14'1"/4,30	160/72		3244 145c	16'1"/4,90	145/66	
3239 165c	14'1"/4,30	165/74		150c	16'1"/4,90	150/68	
170c	14'1"/4,30	170/77		155c	16'1"/4,90	155/70	
175c	14'1"/4,30	175/79		160c	16'1"/4,90	160/72	
180c	14'1"/4,30	180/81		165c	16'1"/4,90	165/74	
3242 130c	14'7"/4,45	130/59		170c	16'1"/4,90	170/77	

Nordic art nr	Längd fot/m	Testvikt lbs/kg	Pris kr
175c	16'1"/4,90	175/79	
180c	16'1"/4,90	180/81	
185c	16'1"/4,90	185/84	
190c	16'1"/4,90	190/86	
195c	16'1"/4,90	195/88	
200c	16'1"/4,90	200/90	
205c	16'1"/4,90	205/93	
3238 155c	16'5"/5,00	155/70	
160c	16'5"/5,00	160/72	
165c	16'5"/5,00	165/74	
170c	16'5"/5,00	170/77	
175c	16'5"/5,00	175/79	
180c	16'5"/5,00	180/81	
185c	16'5"/5,00	185/84	
190c	16'5"/5,00	190/86	
195c	16'5"/5,00	195/88	
200c	16'5"/5,00	200/90	
205c	16'5"/5,00	205/93	
210c	16'5"/5,00	210/95	
215c	16'5"/5,00	215/98	
220c	16'5"/5,00	220/100	
3245 170c	16'9"/5,10	170/77	
175c	16'9"/5,10	175/79	
180c	16'9"/5,10	180/81	
185c	16'9"/5,10	185/84	
190c	16'9"/5,10	190/86	
195c	16'9"/5,10	195/88	
200c	16'9"/5,10	200/90	
205c	16'9"/5,10	205/93	
210c	16'9"/5,10	210/95	
215c	16'9"/5,10	215/98	
220c	16'9"/5,10	220/100	
225c	16'9"/5,10	225/102	
230c	16'9"/5,10	230/104	
3240 170c	17'1"/5,20	170/77	
175c	17'1"/5,20	175/79	
180c	17'1"/5,20	180/81	
185c	17'1"/5,20	185/84	
190c	17'1"/5,20	190/86	
195c	17'1"/5,20	195/88	
200c	17'1"/5,20	200/90	
205c	17'1"/5,20	205/93	
210c	17'1"/5,20	210/95	
215c	17'1"/5,20	215/98	
220c	17'1"/5,20	220/100	

Nordic

Längd

Testvikt





Pole vault







Electronic PV Standard

Worlds most modern electronic foldable pole vault standard made 100% of Used at aluminum. The crossbar holder is controlled by a computer, iPhone or iPad and a driving belt of armoured nylon material by electric motor. Inside the profile a measuring tape $% \left\{ 1,2,...,n\right\}$ runs that continuously shows the

exact height of the bar at eye level. The stable base can be moved laterally and the standard is easily dismounted to allow change of jump site. Foldable at 80 cm height in any direction. Height from 150 to 635 cm. IAAF certified

art 3106299

PV Standards Elite

Worlds most modern 360° foldable pole vault standard made 100% Used at of aluminum. The crossbar go:teborg2013 EUROPEAN ATHLETICS INDOOR CHAMPIONSHIPS

holder is controlled by a crank and a driving belt of armoured nylon material.

Inside the profile a measuring tape runs that continuously shows the exact height of the bar at eye level. The stable base can be moved laterally and the standard is easily dismounted to allow change of jump site. Foldable at 80 cm height in any direction. Height from 150 to 635 cm. IAAF Certified

art 3106200A









art 2126422

Protection Pads for PV base

Protects the vaulter and pole from hitting the base of the PV standards. With a frame to fit the base and top. Padding covered with PVC on upper side.





Telescopic IAAF certified high jump standard for competition use. The standard is the made of aluminum including a foot of powder-coated steel with wheels for easy transport. The standard also have two crossbar holders and easy to read measuring tape. Easy to move from o point to 80 cm. Hight from 240 till 630 cm.

art 3100400



Pole rack mobile

Pole rack made of steel with pneumatic wheels and protective roof.

art 3130001.



PV protection pad Elite

Protection pad for Elite Pole Vault stands. Protects both athlete and the vaulting pole to be damaged.

art 3106206



Pole rack

A powder coated rack which holds the fragile vaulting poles during competitions. Holds 10-12 poles.

art 3130000






Player Booth Plus 3 m

Player booth with wheels based on our popular LongLife goals. The dimensions are 3x2x2 m, with wooden benches for 10-13 persons in two heights. Blue covers with windows in PVC plastic. The canvas is mounted directly on our robust aluminum profiles.



Wind indicator

Wind sock on a steel stand. art 1150317



2012


CHAMPIONSHIPS

Used at

Telescopic measuring device

Telescopic measuring device with built-in measuring tape. Maximum measuring range 8 m.






1. Measuring device pole vault

Made of aluminium. Adjustable upper part with an angle mounted on top. Makes the reading easy and 100 % accurate. Measures 300-620 cm.

art 3100443



Telescopic model made of aluminium.

art 3142447





Garage for Poles

Garage for poles made of solid galvanized steel contruction and aluminium plate. If you are in need of storing your poles securely, this is the strongest and safest solution in the world.

art 3130002



Athletics shelter mobile

A robust, flexible solution for seating at your arena where athletes get protection from sun and rain.

Made of sturdy steel profile with ribbed roof cladding. Adjustable height and with 8 seats. Collapsible wheel for easier transport is mounted underneath.



Pole Vault Box Rounded

Made of strong chequered plate of aluminium with fixation for concrete embedment and water drain hole. Now with Rounded corners up to IAAF rule 183.8. IAAF certified no E-99-0011.

art 3141449A



Pole Vault Box

Made of strong chequered plate of aluminium



with fixation for concrete embedment and water drain hole. IAAF certified no E-99-0011.

art 3141449



Pole Vault Box Lid



art 3143477



Too cover all hard surfaces between

art 2110509



Runway mat 12 mm

Runway mat for HJ, PV, LJ, etc. Made of all-weather material. The mat is delivered per roll 10 m \times 1,25 m and is 12 mm thick. A durable mat with perfect recoil. Colour: black.

art 1100009



Too cover all hard surfaces between vault box and the landing pit. Used at Safety wings provides addi- go:teborg 2013 tional protection by padding EUROPEAN ATHLETICS INDOOR CHAMPIONSHIPS

art 2110510

exposed Vault Box edges.



High jump



Elite High Jump standard

The world's most robust

and best-looking high-jump stand. Made of a specially designed anodized aluminum profile. Height adjustment with dual readout points, which provides a simple and precise adjustment of the height. The strong T-feet of galvanized steel is adjustable for proper setup. Measuring 40-256 cm. IAAF certificat no E-99-0006.

art 2106000










Telescopic HJ standard

Telescopic IAAF certified high jump standard for competition use. The standard is the made of aluminum including a foot of powder-coated steel with wheels for easy transport. The standard also have two crossbar holders and easy to read measuring tape. From 60 cm up to 260 cm.



High jump stand Plus



nized steel is adjustable for proper setup. Measuring

50-256 cm. IAAF certificat in progress.

art 2106004



Training HJ standard

Perfect high jump standard for the school and training use. The standard is the made of aluminum including a foot of powdercoated steel with wheels for easy transport. From 30 cm up to 220 cm.

art 2106400



End Cap Anti-Roll





art 2126422





Made of high quality fibreglass and equipped with approved end pieces according to new IAAF rules. Length 4.0 m.

art 2126400





Anti-roll HJ Crossbar





Our new IAAF certified 4 m fiberglass crossbar with new groundbreaking anti-rolling ends. The crossbar ends are in half circle shape. The ends lower the center of gravity point, that makes the crossbar much more stable and more or less impossible to roll on the crossbar holder. We have also made the fiberglass tube heavier than standard crossbars available on the market.



Runway mat 12 mm

Runway mat for HJ, PV, LJ, etc. Made of all-weather material. The mat is delivered per roll 10 m x 1,25 m and is 12 mm thick. A durable mat with perfect recoil. Colour: black.

art 1100009



Runway markers

Set of 12 take off markers in different colours. Made of steel.

art 2100432



Player Booth Plus 3 m

Player booth with wheels based on our popular LongLife goals. The dimensions are 3x2x2 m, with wooden benches for 10-13 persons in two heights. Blue covers with windows in PVC plastic. The canvas is mounted directly on our robust aluminum profiles.

art 1010510



Wind indicator

Wind sock on a steel stand. art 1150317





HJ measuring device

Made of aluminium. Adjustable Used at
go:teborg2013

EUROPEAN ATHLETICS
INDOOR
CHAMPIONSHIPS

upper part with an angle mounted on top. Makes the reading easy 100 % accurate. Measures 70-265 cm.

art 2106437



Athletics shelter mobile

A robust, flexible solution for seating at your arena where athletes get protection from sun and rain.

Made of sturdy steel profile with ribbed roof cladding. Adjustable height and with 8 seats.

Collapsible wheel for easier transport is mounted underneath.



Pits

High jump landing pits



HJ Elit 1.0



Our new and biggest competition bed up to IAAF rules, which consists of four sections. 800x400x80 cm. Reversible double-sided spike-protection included. Spike-protection net is Ferrari brand. IAAF certificate nr E-11-0628.



art 2110800

Weather Cover for HJ Elite 1.0

Weather cover for HJ Elit 1.0 pits. Made of strong polyester vinyl.

art 2110615.



Olympic 2.0



Competition pit consist of 3 base units to IAAF regulations. 670x400x80 cm. Reversible double-sided spike shoe protection included. Spiked shoe netting Ferrari, for all spiked shoe protectors. IAAF certified no E-99-002.

art 2110550

Weather Cover Olympic 2.0 pit

Weather cover for Olympic 2.0 pits. Made of strong polyester vinyl.

art 2110606.









Competition pit consist of 3 base units to IAAF regulations. 600x400x70 cm.

Delivered with one top pad resistant to spike tears. Spiked shoe netting Ferrari, for all spiked shoe protectors. IAAF certified no E-99-0192.

art 2110600.



Weather Cover Super 4.0

Weather cover for Super 4.0 pits. Made of strong polyester vinyl.

art 2110607......**..**

Super 4.0 Monocube



IAAF certified landing pit with one PVC cover, size 600x400x70cm. Build in antispike cover, no separate antispike cover. Sides are made of PVC, weather cover is excluded. Foam core elements with tunnels, PU foam 18 kg/m3.

art 2110701.



Competition 2.0

Competition pit consist of 3 base units to IAAF regulations. 500x300x65 cm. Delivered with one top pad resistant to spike tears. Spiked shoe netting Ferrari, for all spiked shoe protectors.

art 2110953.

Weather Cover Competition 2.0

Weather cover for Competition 2.0 pits. Made of strong polyester vinyl.

art 2110608.







Competition 2.0 Monocube

Training landing pit with one PVC cover, size 500x300x65cm. Build in antispike cover, no separate antispike cover. Sides are made of PVC, weather cover is excluded. Foam core elements with tunnels, PU foam 18 kg/m3.

art 2110709

Competition 1.5 Monocube

Training landing pit with one PVC cover, size 500x300x50cm. Build in antispike cover, no separate antispike cover. Sides are made of PVC, weather cover is excluded. Foam core elements with air tunnels, PU foam 18 kg/m3.

art 20110725.

Euro Cup 2.0

400x300x50 cm. Reversible double-sided spike shoe protection included. Spiked shoe netting Ferrari, for all spiked shoe protectors.

art 2110943.

Weather Cover Euro Cup 2.0

Weather cover for Euro Cup 2.0 pits. Made of strong polyester vinyl.

art 2110609.

Euro Cup 2.0 Monocube

Landing pit with one PVC cover, size 400x300x50cm. Build in antispike cover, no separate antispike cover. Sides are made of PVC, weather cover is excluded. Foam core elements with tunnels, PU foam 18 kg/m3.

art 2110717.



School


350x180x30 cm. One section. Training pit perfect for schools. Top pad and rain cover not included. Only for indoor use.

art 2110932

Weather Cover School

Weather cover for School pits. Made of strong polyester vinyl.

art 2110611.



Pole vault landing pits



PV Elit 1.0

Our new and biggest competition bed up to IAAF rules, which consists of four sections. 910X710X80 cm. Reversible double-sided spike-protection included. Spike-protection net is Ferrari brand. IAAF certificate



nr E-11-0629. art 2110910

Protection Pads for PV Elit

Protection pads for standards fit for PV Elit 1.0 pit. art 2110616

Weather Cover for PV Elite 1.0

art 2110614



Athena 2.0

Competition pit, IAAF certified. Protection pads for stands included. 880x670x80 cm. Certified by IAAF no E-99-0191. All Pole Vault landing pits are delivered with a reversible spiked shoe protector. Spiked shoe netting Ferrari, for all spiked shoe protectors. art 3110880



Weather cover for Athena 2.0 pits. Made of strong polyester vinyl.

art 2110603



Protection Pads Athena

Protects the vaulter and pole from hitting the base of the PV standards. With a frame to fit the base and top. Padding covered with PVC on upper side. Made for Athena.

art 2110612.



World Cup 4.0

Competition pit, IAAF certified. Protection pads for stands included. 800x600x80 cm. Certified



by IAAF no E-99-001. All Pole Vault landing pits are delivered with a reversible spiked shoe protector. Spiked shoe netting Ferrari, for all spiked shoe protectors.

art 3110800

Protection Pads World Cup 4.0

Protects the vaulter and pole from hitting the base of the PV standards. With a frame to fit the base and top. Padding covered with PVC on upper side. Made for World Cup IV.

art 2110613

Weather Cover World Cup 4.0

Weather cover for World Cup 4.0 pits. Made of strong polyester vinyl.

art 2110604



World Cup 4.0 Monocube



IAAF certified landing pit with one PVC cover, size 800x600x80cm. Build in antispike cover, no separate antispike cover. Sides are made of PVC, weather cover is excluded. Foam core elements with tunnels, PU foam 18 kg/m3.

art 3110701.

World Cup Double

Our new competition bed up to IAAF rules, which gives you ability to jump from both sides. 1129X710X80 cm. Reversible double-sided spike-protection included. Spike-protection net is Ferrari brand.

art 3110951.

Weather cover for World Cup D

Weather cover for World Cup Double PV pit. Made of strong polyester vinyl.

art 3110952.

Protection Pads for WC Double

Protection pads for uprights fit for PV World Cup Double.

art 3110953.

Champion Double

Training pit, according to IAAF regulations, with ability to jump from both sides at the same time. 869x500x80 cm. All pole vault landing pits are delivered with a reversible spiked shoe protector. Spiked shoe netting Ferrari, for all spiked shoe protectors.

art 3110954.

Weather cover for Champion D

Weather cover for Champion PV pit. Made of strong polyester vinyl.

art 3110955.



Champion 2.0

Training pit, according to IAAF regulations. 700x500x80 cm. All pole vault landing pits are delivered with a reversible spiked shoe protector. Spiked shoe netting Ferrari, for all spiked shoe protectors.

art 3110971.



Weather Cover Champion 2.0 pit

Regnskydd av kraftig PVC för Champion hoppbädd. art 2110605.



Champion 2.0 Monocube


Up to IAAF rules landing pit with one PVC cover, size 700x500x80cm. Build in antispike cover, no separate antispike cover. Sides are made of PVC, weather cover is excluded. Foam core elements with tunnels, PU foam 18 kg/m3.


art 3110709.



Training Monocube

Training landing pit with one PVC cover, size 550x500x80cm. Build in antispike cover, no separate antispike cover. Sides are made of PVC, weather cover is excluded. Foam core elements with tunnels, PU foam 18 kg/m₃.





Safety Mat 350x180x30

The market's best looking safety mat with strong polyester vinyl shell in one piece. Two carrying handles on each side.

art 2110938

Safety Mat 400x200x30

The market's best looking safety mat with strong polyester vinyl shell in one piece. Two carrying handles on each side.

art 2110934

Safety Mat 400x200x40

The market's best looking safety mat with strong polyester vinyl shell in one piece. Two carrying handles on each side.

art 2110933

Safety Mat 300x200x25

The market's best looking safety mat with strong polyester vinyl shell in one piece. Two carrying handles on each side.

art 2110936

Safety Mat 300x250x30

The market's best looking safety mat with strong polyester vinyl shell in one piece. Two carrying handles on each side.

art 2110935

Safety Mat 200x150x30

The market's best looking safety mat with strong polyester vinyl shell in one piece. Two carrying handles on each side.



Garage for landing pit

Best protection for the pits from rain, sun and vandalism. With a strong metallic frame covered with aluminium sheet. Easy to move with lockable pivoting wheels. For quotation, please specify dimension of the pit.

art 3110003.





Ground Covers for pits

Ground Covers for pits, made?of galvanized steel for placement under the bed. Manufactured after desire.

art 3110002.



Spiked shoe protector

The same spiked shoe protection as our competition pits. Custom-made on request. Since we always put quality first, we naturally use the world's leading supplier of spiked shoe netting, Ferrari, for all spiked shoe protection. Price per m2

art 2110503.



Weather cover

Weather cover for landing pits. Made of strong polyester vinyl. Custom-made on request. art 2110505.



Transport cart

Steel cart 3x1.5 m. Powder coated steel with wooden platform.

art 3110001



Vault Box Collar

Too cover all hard surfaces between vault box and the landing pit. No interference with the vaulting pole.

art 2110509



tional protection by padding

art 2110510



Vault Box Collar with wings

Too cover all hard surfaces between vault box and the landing pit. Used at Safety wings provides addi- go:teborg2013 EUROPEAN ATHLETICS INDOOR CHAMPIONSHIPS exposed Vault Box edges.



Long & triple jump



Take-off set Elite

w

High quality take off board. With under structure of aluminium on which a board of wood is mounted. Equipped with height adjustment for perfect fitting. Complete with demountable plasticine insert. Steel scraper for applying plasticine included. IAAF certified no E-o1-0324.

art 2101243





Plasticine

To be placed in plasticine insert. art 2104434



Runway mat 12 mm

Runway mat for HJ, PV, LJ, etc. Made of all-weather material. The mat is delivered per roll 10 m x 1,25 m and is 12 mm thick. A durable mat with perfect recoil. Colour: black.

art 1100009



Exchange board

Made of white painted wood. Measures 122x2ox2.5 cm.

art 2101435





Runway markers

Set of 12 take off markers in different colours. Made of steel.

art 2100432




Plasticine insert comp

Made of red painted wood. art 2102433



Adjustable cover

Made of aluminium with height adjusters.
On top of the cover a synthetic all-weather surface can be installed. To be placed in the foundation tray.
art 2101257



Scraper

For plasticine insert comp (art no 2102 433). art 2102434



Indicator board 2-in-1





Measuring frame of Aluminium for Long and Triple jump. Show the distance from the take off board. Shows lenghts from 5-9 m or 13-18 m.

art 2105241





Raincover sandpit

Our new raincover for sandpits. Made of same material as our raincovers for landing pits. Price per m2..

art 2105244

Used at







Rake 14 pins

Rake of aluminium. With a wide levelling blade and turned replaceable pins. Extremely durable and easy to work.

art 2100434

Spare pins

art 2100440

Sand rake 3 m



Aluminium profile for evening out sand in landing pit



Athletics shelter mobile

A robust, flexible solution for seating at your arena where athletes get protection from sun and rain. Made of sturdy steel profile with ribbed roof cladding. Adjustable height and with 8 seats. Collapsible wheel for easier transport is mounted underneath.

art 2300010



Take-off board markers

An aid to help the jumper and the public see the position of the take off board. Delivered in pairs.

art 2101500







Measuring long/triple jump

An instrument that provides accurate measuring. Eliminates errors caused by sliding sand.

art 2105240



Wind indicator

Wind sock on a steel stand. art 1150317



Player booth with wheels based on our popular LongLife goals. The dimensions are 3x2x2 m, with wooden benches for 10-13 persons in two heights. Blue covers with windows in PVC plastic. The canvas is mounted directly on our robust aluminum profiles.

art 1010510

Take-off board markers ALU

An aid to help the jumper and the public see the position of the take off board. Delivered in pairs.





Starting equipment



Starting block Olympic

A top class block. Rubber faced pedals made of aluminium. Adjustable in 4 positions. Rail made of aluminium profile. IAAF certified no E-99-0015.

art 1109254







Starting block Competition Simpler model of Nordic Olympic with n

Simpler model of Nordic Olympic with narrower pedals and rails

art 1101500



Starting block Plus

School and training starting block in zinc plated steel with pads covered with rubber.

art 1101600



Basket for clothes

Made of a strong plastic material. With a folding handle.





Lane marker Elite set 1-8

Set of 8 markers from number 1-8.
Brand new lane marker, further
development of our lane marker Super. Made from
polyethylene, making cube both elastic and strong.
Now with a handle for better stacking to avoid a
vacuum lock. The cube weighing 2 kg each and is
63 cm high.

art 1109413





Lane marker Elite

Brand new lane marker, further development of our lane marker Super.

Made from polyethylene, making cube both elastic and strong. Now with a handle for better stacking to avoid a vacuum lock. The cube weighing 2 kg each and is 63 cm high.



Lane Marker Plus 1-8 m

Set of 8 pcs lane markers with 1, 2, 3, 4, 5, 6, 7 and 8 m. Brand new distance marker. Made off strong anodized aluminum, making marker both elastic, strong and rust free. V shape for better stacking. 35 cm high and 30 cm wide.

art 1109428



Starting block cart

Powder-coated steel starting block rack with wheels. Designed for 10 starting blocks.

art 1109310







Starter's stand high

Made of steel with plastic wheels and impregnated wood ledge.

art 1102406



Electronic Starting system

Electronic *gun* generates a flash and an electronic gun sound our tone trough a single large speaker, comes with a headset to allow starting comands to run through the speakers as well. Can be used wired or with Radio Lynx.



Hurdles



Hurdle Alu-Matic

Fully automatic aluminium hurdle.

Adjustment of the height and base weights is done simultaneously with one single handgrip. Baseweights are made of steel with Teflon bearings. All protruding parts have been eliminated to prevent injuries and facilitate stacking and transportation. The ingeniously simple hurdle cart on which you can transport up to 8 hurdles at the same time, can be ordered as extra equipment. Adjustable heights from 762 mm to 1067 mm. IAAF certified no E-99-0007.











Hurdle Alu Viking 2.0

(MAF)

Competition hurdle manufactured completely of aluminium. The base weights are galvanized to make adjustment trouble free and easy. Height adjustment is controlled with safety spring locks. New design with special lowest height. Adjustable heights from 686 mm to 1067 mm. IAAF certified no E-99-0008.

art 1126420



Training hurdle Plus



One-piece steel hurdle perfect for school and training use. Easy to us and stack. Height levels: 686, 762, 840, 914, 991, 1067 mm

art 1126500



Hurdle crossbar

Hurdle crossbar of weatherproof reinforced plastic. 120 cm.

art 1126428



Mini hurdle 12" (6 pcs)

Mini hurdle is a must for training. This hurdle is perfect for different types of training and play. Mini hurdle is light, thanks to manufactured completely of PVC. There are 2 heights, 6" (15,2 cm) and 12" (30,5 cm). Sells in sets of 6 pcs.

art 1126411

Mini hurdle 6" (6 pcs)



Waterjump steeplechase hurdle

Under structure of powder coated steel with hurdle bar of strong wood. For concrete embedment.
Length 366 cm. Adjustable height. IAAF certified no

E-03-0366. art 1126430



HELSINKI 2012 HELSINKI 2012

MAF

Steeplechase hurdle 3.96 m

With strong laminated wood hurdle crossbar. Under structure of powder coated steel with hurdle bar of strong wood. Length 396 cm. Adjustable height. IAAF certified no E-99-0009.

art 1126429

Wheels for Steeplechase

Set of 4 pcs wheels for steeplechase.

art 1126439



SAAP)

Steeplechase hurdle 5.0 m

With strong laminated wood hurdle crossbar. Under structure of powder coated steel with hurdle bar of strong wood. Length 500 cm. Adjustable height.

art 1126432





Hurdle cart 10

Hurdle cart of galvanized steel profile. Takes approx 10 hurdles.

art 1126450






Tilt hurdle small (40-60 cm)

Practise hurdle in three different heights.
The hurdle returns automatically to upright position after being knocked down.

art 1127020S



SCHOOL

art 1127021Sv

Tilt Hurdle large (66-106 cm)




art 1127022s



Hurdles trolley 40

Our new back loaded hurdles trolley in steel with space for 40 nests. Our hurdle trolley equipped with swivel front wheels and hook the golf cart.

art 1126446



Hurdle cart sideloaded 40

Steel cart with capacity of 40 hurdles. Four racks on each side for easy loading and unloading. Made from a strong steel frame with sliding rails for hurdles.

art 1126460



Splash guard

Fabric splash guard to be placed under water jump hurdle 1126 430.



Running





Aluminium curbing

Curbing made of light-weight natural anodized aluminium. Precision and quality guarantees easy installation and maintenance. It will fit your track perfect. Easy to complement. IAAF certified no E-o1-o323.

art 1100100



Set of eight relay batons of anodized aluminium. IAAF certified E-13-0772 art 1111409







Relay Baton PlasticSet of eight relay batons made of plastic.
art 1111410



Timer's stand

Timer's stand made of aluminium with 8 seats. Can easily be folded to use minimum space when storing. Fitted with wheels for easy transportation. Complete with detachable signal board.



Winner's stand

Winner's stand for three persons. With a sturdy under structure of painted steel profile and wooden platforms.

art 1156424



Winner's platform

A big winner's stand for 12 persons. Otherwise the same as 1156 424.

art 1157424.



A sturdy lap counter with a frame of zinc plated steel tubes. Two cassettes with black figures. Includes a brass bell with a sonorous ringing. The lap counter is easy to transport on its two wheels.

art 1130290



Finish line posts

Sturdy white-painted posts of aluminium. Complete with ground sockets with lids. Height 137 cm.

art 1110409



Linesman's flags, red

Plastic handle with a nylon flag. art 1010084

Linesman's flags, white

art 1010085

Linesman's flags, yellow

art 1010094




Electronic lap counter

Electronic lap counter with both a single-sided or three-sided two-digit model. Digit height 25 cm. Complete with control panel and bell.



Timing & Control devices



Reac time



Nordic Sport ReacTime® can be used as both false start and for training athletes reaction time to start signal. The world's top sprinters have shown that reaction times can be improved by training – and ReacTime® can be the cornerstone of that training process.

art 1153201

False Start System:

Detects illegal reaction time of athletes in sprinting events and signals a false start to the starter as described in IAAF Rule 162.10. Measures reaction times to 1/1000th of a second. Battery operated and rechargeable, or AC powered. Includes all required cables as well as headset for the starter. Optional loudspeakers in the blocks assure that all athletes hear the starter's commands or the sound of the gun simultaneously. Included software allows the power waveforms for all the athletes in a race to be graphed, compared, saved and printed. Optional paper tape printer allows reaction times of the athletes to be printed trackside for each race.

Training System:

Can be operated with a firing a gun or with the software's speaker option and. The software allows starter's commands to be personally recorded with their own voice. Two Personal Training Systems can be linked for competitive training. Can be connected to photobeams or a Nordic Sport Lynx system for total sprint timing. Data from your entire workout, including power waveforms, can be stored in the unit and retrieved later on your own PC using the software. Starting block, computer and speakers are bought separately






Photo Finish System

Nordic Sport Lynx is the world's most popular and versatile digital photofinish and timing system in its price class. The Photo-finish camera is a completely automatic timing system with a digital camera. Nordic Sport Lynx is an IAAF certified product.

The Photo-finish camera takes from 1000 photos/second to 2000 photos/second depending on which packet you choose. The Photo-finish camera can produce photo-finish images in black and white or colour, depending on the choice of packet. The program included in the packet is in 40 different languages.

There are three different packets to choose from: Competition, Championship and Grand Prix (see detailed description on next page). If there is anything you wish to alter or add, all of our packets can be modified. There are many options. For example scoreboards, wind meters, lap counters, extra cameras, etc. You can also send your results "live" to TV, Internet, etc.


We at Nordic Sport can always customise a system for your requirements, large or small.



Lynx Competition


- Camera: EtherLynx 2000, fully upgradeable 1000 frames/second, timing enabled, c-mount f1.2 12.5–76 mm zoom lens.
- Automatic start detection sensor.
- Complete professional tripod and mounting hardware with precision adjustment.
- All-inclusive camera and start cable set.
- Built-in interface to scoreboards and wind gauges.
- FinishLynx 32 Multi language Photo Finish software
- LynxPad Multi language Event Management software, available in Swedish and several other languages.
- Also available as "Competition Elite" with wireless communication from the start microphone.

art 1153011.



Lynx Competition Elite


- Camera: EtherLynx 2000, fully upgradeable 1000 frames/second, timing enabled, c-mount f1.2 12.5–76 mm zoom lens.
- F-mount(Nikon compatible) through-the-lens alignment viewer and remote iris control.
- Nikon-compatible 24-70 mm f2.8 zoom lens.
- IAAF Compliant RadioLynx Wireless Start Detection System.
- Automatic start detection sensor.
- Complete professional tripod and mounting hardware with precision adjustment.
- All-inclusive camera and start cable set.
- Built-in interface to scoreboards and wind gauges.
- FinishLynx 32 Multi language Photo Finish software.
- LynxPad Multi language Event Management software, available in Swedish and several other languages.
- Also available as "Competition Elite" with wireless communication from the start microphone.



Lynx Championship

- Primary camera fully upgradeable 1000 frames/ second, timing enabled, color EtherLynx 2000.
- Nikon normal AF Nikko 50 mm f/1.8 lens, with f-mount through-the-lens alignment viewer with remote iris control.
- Reverse angle camera- fully upgradeable 1000 frames/second monochrome EtherLynx 2000 with c-mount motorized remote control zoom lens.
- Complete professional tripod and mounting hardware with precision adjustment for both cameras.
- All-inclusive camera and start cable sets.
- Built-in interface to scoreboards and wind gauge.
- FinishLynx 32 Multi language Photo Finish software.
- LynxPad Multi language event management software.
- Remote control camera positioning platform.
- IAAF compliant wireless start detection system.
- IAAF compliant Ultrasonic wind gauge.

art 1153013.



Lynx Grand Prix

- Primary camera: color EtherLynx PRO, 2000 frames/second, timing enabled.
- Nikon normal AF Nikko 50 mm f/1.8 lens, f-mount through-the-lens alignment viewer with remote iris control.
- Wireless connectivity option for EtherLynx PRO.
- Backup/Reverse angle camera: color EtherLynx 2000, fully upgradeable 1000 frames/second, timing enabled.
- \bullet F-mount through-the-lens alignment viewer 28 mm–105 mm f/2.8 zoom lens.
- Complete professional tripod and mounting hardware with precision adjustment for both cameras.
- All-inclusive camera and start cable sets.
- Built-in interface to scoreboards and wind gauges.
- FinishLynx 32 Multi language Photo Finish software
- LynxPad Multi language Event Management software.
- Remote control camera positioning platform.
- IAAF compliant wireless start detection system.
- IAAF compliant Ultrasonic wind gauge.
- 9-digit alphanumeric scoreboard/running time clock and tripod.
- Automatic race-image capture software plugin that also operates as a photocell to control the running time clock at the finish line.
- AirLynx Wireless infrastructure for secure and reliable communication with EtherLyncx PRO camera and other Lynx devices (i.e. included ultrasonic wind gauge)
- Amplified antenna for 802.11g wireless network.



Manual scoreboard

A revolving scoreboard mounted on a steel frame with wheels. 8 cassettes for numbers showing attempt, athletes number and result. art 1156430

Cassette red o-9

art 1156426

Cassette black o-9

art 1156427



Measuring wheel

art 1010099



1. Accusplit Pro Survivor

Extra large display with 12/24 hrs clock. Functions: Alarm, start/stop/split. 24 hrs stopwatch. Daily alarm. Month/Date/Day.

art 1154601

2. Accusplit Survivor II

Same functions as Pro Survivor, but no weekday and smaller display.

art 1154600

3. Accusplit Eagle

Stopwatch with automatic memory for the last 100 lap or cumulative splits. Alarm for exceeding memory. 10 hrs register and memory function. Rapid Split Action. Frequency indication. Dual displays with continuous information. Indicator for battery status. Water and shock proof.

art 1154602



Seiko system watch w printer

Features include: Time/Calendar showing year, date, hours minutes and seconds. Chronograph measuring down to 1/100 second. Up to 100 lap and partial times can be measured, stored in memory and recalled. Measured data can be printed out on printer. Autostart; by pre-setting measurement start time, the chronograph can start automatically at a desired point in time.

art 1154129

Paper roll for 1154129



Wind gauge Lynx

The Lynx Ultrasonic Wind Gauge is an affordable anemometer that utilizes IAAF-approved ultrasonic technology to provide accurate wind speed and direction data. The unit is a FinishLynx accessory that connects directly to an EtherLynx Camera, Connection Box, SeriaLynx unit, or computer serial port. This allows live wind gauge data to integrate seamlessly with FinishLynx.

art 1153010



Laserlynx

Laserlynx is a powerful laser-based measuring device linked to a palm hand-held computer. The resulting product is in a class by itself. Never has a distance measurement in a track and field environment been so accurate, easy and so affordable. All the measurements are computer generated and information can be shared effortlessly with scoreboards, infield displays, databases and even with announcers.

art 1153104.



Electronic scale 0.1 g

Official competition rules allows only 1 gram deviation in weight of throwing implements. Only electronic scales can meet these demands. This scale weighs up to 8.1 kg with only 0.1 gram deviation to cover all areas of throwing.

art 7971500

Electronic scale 1.0 g

Same as 7971500 but with 1.0 g deviation. art 7971501.



Wind gauge Springco Compact

A small accurate windgauge. Tripod included. art 1150350



Budget Scale

Weighs 12kg +/- 1.og.



Used at



1. Javelin control device

From Nordic Sport, the best javelin control device available. All dimensions of the javelin can be checked: measures, centre of gravity etc.

Made of aluminium. Complete with electronic sliding caliper and bag.

Combine the javelin control device with the electronic scale for a complete system of measurement.

art 7900462

2. Discus gauge 1.75-2 kg

The same gauge as 6161 461 but for size control of discus 1.75 and 2.0 kg

art 6161462

3. Discus gauge 1-1.5 kg

Test ruler with permanent checkpoints for maximum and minimum diameter, rim radius, thickness and centre plate diameter. Made of steel. For discus 1.0 and 1.5 kg.

art 6161461

4. Sliding caliper

Top quality big-size sliding caliper for exact control of all throwing appliances.

art 6161463

Measuring devices for throws



Measuring device for throw events. Comes in nylon bag with:

- Measuring device javelin
- Measuring device shot/hammer
- Measuring device discus
- Centre of gravity device

EUROPEAN ATHLETICS INDOOR CHAMPIONSHIPS

art 7900464



Measuring long/triple jump

An instrument that provides accurate measuring. Eliminates errors caused by sliding sand.

art 2105240



with an angle mounted on top. Makes the reading easy and 100 % accurate. Measures 300-620 cm.





Fibreglass measuring tape 10 m

High-class measuring tapes made of fibreglass. Mounted in a strong plastic frame. Easy-to-read scale.

art 5165010

Fibreglass measuring tape 20 m

art 5165020

Fibreglass measuring tape 30 m

art 5165030

Fibreglass measuring tape 50 m

art 5165050

Fibreglass measuring tape 100m

art 5165100



Steel measuring tape 10 m

Very exact stainless steel measuring tapes. Supplied with storage bag.

art 5160010

Steel measuring tape 20 m

art 5160020

Steel measuring tape 30 m

art 5160030

Steel measuring tape 50 m

art 5160050

Steel measuring tape 100 m

art 5160100



Lap counter with bell

A sturdy lap counter with a frame of zinc plated steel tubes. Two cassettes with black figures. Includes a brass bell with a sonorous ringing. The lap counter is easy to transport on its two wheels.

art 1130290



Discipline clock Electronic


Indicating the time available to jumpers and throwers. Shows o-6 minutes. Spring operated. The clock is placed on a sturdy steel standard and has a wind indicator on top.

art 1130476



Electronic lap counter

Electronic lap counter with both a single-sided or three-sided two-digit model. Digit height 25 cm. Complete with control panel and bell.



HJ measuring device

Made of aluminium. Adjustable upper part with an angle mounted on top. Makes the reading easy 100 % accurate. Measures 70-265 cm. art 2106437





HJ measuring pole

Elementary measuring pole made of aluminium. Measures 10-265 cm.

art 2106436







Centre of gravity device

Simple tool to test the hammer's centre of gravity. art 5120007

Hammer Control Device





Standing hammer control device for quick and accurate control of the length of the hammer. Adjustable for different lengths. Made of aluminium.

art 5120008

Used at





Telescopic measuring device


Telescopic measuring device with built-in measuring tape. Maximum measuring range 8 m. $\,$







Discus



Gerd Kanter Edition 1 kg

Our best competition discus. Sides of fibreglass. Rim of stainless steel. 90% of the weight has been moved outward to the rim to give more spin, less wobble and more carry. Delivered with bag art 6126100

Gerd Kanter Edition II 2 kg

Our best competition discus. Sides of fibreglass. Rim of stainless steel. 90% of the weight has been moved outward to the rim to give more spin, less wobble and more carry. Delivered with bag. Certified by IAAF no I-99-0030.

art 6126200



Discus Super Spin brass 1.0 kg



Competition discus of highest quality. Plastic plate and brass rim. 85% of weight has been concentrated to the rim for best aerodynamic performance. IAAF certified no I-99-0031.

art 6131100

Super Spin brass 1,5 kg



IAAF certified no I-07-0391. art 6131150

Discus Super Spin brass 1.75kg



IAAF certified no I-07-0392.



art 6131175

Discus Super Spin brass 2.0 kg



IAAF certified no I-99-0030



Discus bag big

Made of strong plastic with a ziplock art 6125201

Discus bag small

Made of strong plastic with a ziplock. art 6125101



Discus Gold 1 kg

Competition discus with sides of white plastic without centre plate. Rim of brass with 85 % weight. IAAF certified no I-99-0005.

art 6176100



IAAF certified no I-99-0006. art 6176200

MAF

Super Spin steel 1 kg

Competition discus of highest quality. Plastic plate and stainless steel rim. 85% of weight has been concentrated to the rim for best aerodynamic performance.

art 6131110

Super Spin steel 1,5 kg

MAF

MAR

art 6131152

Super Spin steel 1,75 kg



art 6131185

Super Spin steel 2 kg



art 6131210



Viking adjustable 2.5 kg

A discus for training purposes where you can change the weights with a single handgrip. Delivered with nine different weights from 2.2-2.5 kg.

art 7016300



Delivered with nine different weights from 1.75-2.2 kgs.

art 6132220

Viking adjustable 1.2 kg

With adjustable weights from 0.85-1.2 kg. Otherwise the same as 6132 220.

art 6132120



Discus Plus o.6 kg

Our training discus made of steel with the sides of the plastic. Affordable options when it comes to training discus.

art 6181060



art 6181100


Discus Plus 1.25 kg

art 6181125





art 6181150





art 6181175





Viking fibreglass o.6 kg

A very good discus for competition and training. Sides of extra-strength red fiberglass and rim of tough steel.

art 6130060

Viking fibreglass 0.75 kg

art 6130075

Viking fibreglass 1 kg

IAAF certified no I-03-0236 art 6130100

Viking fibreglass 1.25 kg

art 6130125

Viking fibreglass 1.5 kg


IAAF certified no I-03-0236 art 6130150

Viking fibreglass 1,75 kg

IAAF certified no I-02-0288 art 6130175

Viking fibreglass 2 kg

IAAF certified no I-03-0236 art 6130200



Viking wood o.6 kg

A fantastic discus for training and competition at a very low price. Made of laminated wood for extra long durability. The rim is made of steel.

art 6140060

Viking wood 0.75 kg

art 6140075

Viking wood o.8 kg

art 6140080

MAF

MAF

MAF

MAF

Viking wood 1 kg

art 6140100

Viking wood 1.25 kg

art 6140125

Viking wood 1.5 kg

art 6140150

Viking wood 1.75 kg

art 6140175

Viking wood 2 kg

art 6140200



Viking rubber o.6 kg

A really durable and well-designed rubber discus. Made of brown, high-quality rubber material. Leaves no marks on the floor when throwing indoor. art 6150060

Viking rubber 0.75 kg

art 6150075

Viking rubber 1 kg

art 6150100

Viking rubber 1.25 kg

art 6150125

Viking rubber 1.5 kg

art 6150150

Viking rubber 1.75 kg

art 6150175

Viking rubber 2 kg



Hammers & Shots



Shot stainless steel 3 kg



Extremely durable competition shot. Made of turned stainless steel. 3.0 kg ø 90 mm. IAAF certified I-13-0657

art 5134300

Shot stainless steel 4 kg



4.0 kg ø 100 mm.

art 5134401

Shot stainless steel 4 kg



4.0 kg ø 95 mm. IAAF certified no I-99-0028.

art 5134400

Shot stainless steel 5 kg



5.0 kg ø 100 mm.

art 5134500

Shot stainless steel 6 kg



6.0 kg ø 105 mm.

art 5134600

Shot stainless steel 7.26 kg





7.26 kg ø 117 mm. IAAF certified no I-99-0024. art 5134726



Shot Brass 3,okg 85



Competition shot of brass. All shots are made in the smallest diameter allowed for each weight. 3.0 kg ø 85 mm

art 5132300

Shot brass 4 kg

4.0 kg ø 95 mm



art 5132400......96 kr

Shot brass 5 kg



5.0 kg ø 100 mm. IAAF certified no I-03-0294. art 5132500.......113 kr

Shot brass 5.5 kg



5.5 kg ø 102 mm

Shot brass 6 kg



6.0 kg ø 106 mm. IAAF certified no I-03-0295. art 5132600......**139 kr**

Shot brass 6.25 kg



art 5132625......**150 kr**

Shot brass 7.26 kg



7.26 kg ø 110 mm. IAAF certified no I-99-0023.

art 5132726......**156 kr**



Shot Turned Iron 1 kg

A very good competition and training shot of cast iron. Every weight is painted in a different colour.

art 5130100

Shot Turned Iron 2 kg

art 5130200

Shot Turned Iron 3 kg

art 5130300

Shot Turned Iron 4 kg

art 5130400

Shot Turned Iron 5 kg

art 5130500

Shot Turned Iron 5.5 kg

art 5130550

Shot Turned Iron 6 kg

art 5130600

Shot Turned Iron 6.25 kg

art 5130625

Shot Turned Iron 7.26 kg

art 5130726

Shot Turned Iron 9 kg

art 5130900

Shot Turned Iron 10 kg



Shot Olympic Super 120 mm

High-quality competition shot of turned lacquered steel. Available in different diameters. The different diameters are painted in different colours. Weight 7.26 kg ø 120 mm

art 5131728

Shot Olympic Super 125 mm



art 5131727

Shot Olympic Super 128 mm

Weight 7.26 kg ø 128 mm

art 5131726



Shot steel 4 kg 100 mm

Competition shot of turned steel. IAAF certified no

I-99-0027. art 5133401

Shot steel 4 kg 104 mm

Competition shot of turned steel. IAAF certi-

art 5133400

fied no I-99-0026.

Shot steel 4 kg 108 mm

Competition shot of turned steel. IAAF certified no I-99-0025.

art 5133402



Shot steel Plus 3 kg

Our training shot made of steel. Affordable options when it comes to training and competition shots. ø95mm

Shot steel Plus 4 kg

art 5131400

Shot steel Plus 5 kg

art 5131500

Shot steel Plus 6 kg

art 5131600

Shot steel Plus 7.26 kg



art 5131300



ø100mm



ø110mm

HAF

MAR!



ø115mm



ø115mm

art 5131725



Shot indoor 1 kg

Indoor shot of rubber material. Filled with fine lead shot. The shells of the lighter shots are of strong plastic.

art 5135100

Shot indoor 1.5 kg

art 5135150

Shot indoor 2 kg

art 5135200

Shot indoor 2.5 kg

art 5135250

Shot indoor 3 kg

art 5135300

Shot indoor 4 kg

art 5135400

Shot indoor 5 kg

art 5135500

Shot indoor 5.5 kg

art 5135550

Shot indoor 6 kg

art 5135600

Shot indoor 6.25 kg

art 5135625

Shot indoor 7.26 kg



Hammer brass 3 kg

A high-class competition hammer of brass. Equipped with rotating swivel, wire and our competition handle.

art 5125300

Hammer brass 4 kg

MAF)

IAAF certified no I-02-0284. art 5125600

Hammer brass 6 kg


Hammer brass 5.5 kg



IAAF certified no I-99-0009.

art 5125625

art 5125550







Hammer Brass 5 kg IAAF certified no I-03-0297.

art 5125500

art 5125400



IAAF certified no I-99-0008. art 5125726



Hammer steel Plus 3 kg

Hammer steel Plus 4 kg

Hammer steel Plus 5 kg



Our training hammer made of steel. Affordable options when it comes to training and competition hammer.

art 5126300

art 5126400



Hammer Turned Iron 2 kg



Hammer Turned Iron 6.25 kg

Hammer Turned Iron 7.26 kg

Hammer Turned Iron 8 kg

A competition and training hammer of cast iron. Equipped with rotating swivel, wire and a standard handle.

art 5120200



art 5120300

Hammer Turned Iron 4 kg

art 5120800

Hammer Turned Iron 9 kg art 5120400

art 5120900

art 5120625

art 5120726

Hammer Turned Iron 5 kg

art 5120500

Hammer Turned Iron 10 kg

art 5120110

art 5126500

Hammer steel Plus 6 kg



art 5126600

Hammer Turned Iron 5.5 kg

art 5120550

Hammer steel Plus 7.26 kg







Hammer stainless steel 4 kg

One of the best competition hammers on the market. Made of turned stainless steel which is very durable. Equipped with rotating swivel, wire and our competition handle. 4.0 kg ø 95 mm. IAAF certified no I-99-0010.

art 5127400

Hammer stainless steel 5 kg

5.0 kg ø 100 mm.

art 5127500

Hammer stainless steel 6 kg

6.0 kg ø 105 mm.

art 5127600

Hammer stainless steel 7.26 kg

7.26 kg ø 110 mm

art 5127726

Hammer stainless steel 7.26 kg

7.26 kg ø 115 mm. IAAF certified no I-99-0032. art 5128726



Hammer glove right M

Strong durable hammer glove of genuine leather. Extra thick leather on the inside. Size M Colour: White/Right

art 5120014

Hammer glove right L

Size L Colour: White/Right

art 5120015

Hammer glove right XL

Size XL Colour: White/Right art 5120016



Hammer glove left S

Size S Colour: White/Left art 5120017

Hammer glove left M

Size M Colour: White/Left art 5120018

Hammer glove left L

Size L Colour: White/Left art 5120019

Hammer glove left XL

Size XL Colour: White/Left art 5120020



Indoor hammer 1 kg

For indoor training.

art 5122100

Indoor hammer 2 kg

art 5122200

Indoor hammer 3 kg

art 5122300

Indoor hammer 4 kg

art 5122400

Indoor hammer 5 kg


art 5122500

Indoor hammer 6 kg

art 5122600

MARY)

MAF



Hammer wire 700mm

Made of tempered spring steel. art 5120090

Hammer wire 780 mm

art 5120091

Hammer wire 870 mm

art 5120092

Hammer wire 950 mm

art 5120093

Hammer wire 960 mm

art 5120094

Hammer wire 970 mm

art 5120095

Hammer wire 980 mm

art 5120096

Hammer wire 990 mm

art 5120097

Hammer wire 1000 mm

art 5120098



Throwing weight 5.45 kg

Turned iron shot with triangle shaped handle. 5.45 kg – 12 lbs

art 5121545

Throwing weight 7.26 kg

7.26 kg – 16 lbs art 5121725

Throwing weight 9 kg

9 kg – 20 lbs art 5121900

Throwing weight 11.3 kg

11.3 kg – 25 lbs art 5121113

Throwing weight 15.9 kg

15.9 kg – 35 lbs art 5121159

Throwing weight 25.3 kg

25.3 kg - 56 lbs art 5121252



art 5120040



Wind indicator

Wind sock on a steel stand. art 1150317

Glue spray 150 ml

Used to provide extra grip. art 7900007



Throwing cages



Hammer cage Alu IAAF



One of the worlds safest hammer cages. It is simple and fast to change opening for right or left hand throwers. Fulfills all international and national requirements. IAAF certified nr E-00-0238

- height 8 m, gate height 10.5 m
- WITH ANCHORS, pillars screwed to anchors embedded in concrete
- independent aluminium pillars, fast and safe cage installation $% \left(1\right) =\left(1\right) \left(1\right) \left($
- INCLUDING NET, tightening system based on steel wires and hooks, durable and elastic net with proper absorption of impact energy
- very easy to assemble and dismount, simple operation

- high reliability
- anchors without spaces for accumulating water, equipped with hinges for connecting pillars and putting them in the upright position
- corrosion proof
- possible of covering anchors with synthetic surface
- light aluminium construction easy to install without
- $\mbox{-}\mbox{ high reliability}$ and easy operating.


art 5121467NS.

Hammer cage Steel IAAF




Same as Hammer cage Alu IAAF, but with steel construction. Certified by IAAF no E-oo-o238 art 5121467M.






Throwing cage indoors



art 5121475.





Winch for indoor cage

Winch for our indoor throwing cage. Helps you to easy raise and lower the net on the indoor throwing cage.

art 5121479.





Discus cage



Simple training cage with opportunity to assemble everywhere. It's fast and simple to assemble or dissemble and move the cage.

art 6161000.



Net for throwing sector

Marks boundary of throwing sector. 7om long and 50 cm high. 35 netholders included. art 7970002.



Throwing equipment



Implement retriever Radio

Made a great success during European Championship in Gothenburg and World Championships in Helsinki, Athens and Edmonton. 1240x550x770 mm. With place for 3 javelins, 6 discuses and 2 shots or hammers. Strong chassis with servo-control. Working time 90 min/charging. Operation control with a 4-channel transmitter and receiver. At disturbance in the radio control the wagon will stop immediately.

art 7971100.





Javelin cart

Powder-coated steel javelin rack with wheels. Designed for 18 javelins.





Shot put cart

Powder-coated steel shot put rack with wheels. Designed for 15 shots.

art 5120480





Discus cart

Powder-coated steel discus rack with wheels. Designed for 28 discus.

art 5120475





Athletics shelter mobile

A robust, flexible solution for seating at your arena where athletes get protection from sun and rain.

Made of sturdy steel profile with ribbed roof cladding. Adjustable height and with 8 seats. Collapsible wheel for easier transport is mounted underneath.



Shot channel

Strong profile with steel frame for return carriage of shots during competition.

art 5140858

Used at





Shot lift

Practical device for lifting the shot from the ground. ${\rm art} \ 5140266$



Wind indicator

Wind sock on a steel stand.

art 1150317

Used at





Discus bag big

Made of strong plastic with a ziplock art 6125201

Discus bag small

Made of strong plastic with a ziplock. art 6125101



Throwing markers

Set on 10 pce of markert with stand included art 7971475

Competition markers

Set of 13 competition markers and one small gold coloured flag. Made of steel.

art 7971469

Magnesium holder

Good looking magnesium holder. art 1090499

Wire for protective net



Sector lines PVC White

Sector lines made of same strong PVC material as we use in our raincovers for landing pits. 50 mm wide shipped in 100m rolls. Extra white color. art 7971472

Used at



Sector line Plus

Of soft plastic material. Width 50 mm. Delivered in rolls of 1100 m.

art 7971465

Sector lines PVC Yellow

Sector lines made of same strong PVC material as we use in our raincovers for landing pits. 50 mm wide shipped in 100m rolls. Extra yellow color.

art 7971473

Used at



Sector line Plastic

Made of plastic width: 50 mm. Delivered in rolls of 40 m. Cart is not included. Price per meter art 7971463

Sector lines PVC Red

Sector lines made of same strong PVC material as we use in our raincovers for landing pits. 50 mm wide shipped in 100m rolls. Extra red color. art 7971474

Used at



Cart for sector lines

Cart with roll and crank for easy handling of 80 m sector lines.



Distance marker Elite set 95 m


Set of 7 pcs distance markers with 35, 45, 55, 65, 75, 85 and 95 m. Brand new distance marker, further development of our distance marker Super. Made from polyethylene, making cube both elastic and strong. Now with a handle for better stacking to avoid a vacuum lock. The championships cube weighing 2 kg each and is 63 cm high.

art 1109416



HELSINKI 2012





art 1109415



Distance marker Elite set 22 m

Set of 5 pcs distance markers with 14, 16, 18, 20 and 22 m.











Lätta att stapla




Distance Marker Plus 10-22 m

Set of 7 pcs distance markers with
10, 12, 14, 16, 18, 20 and 22 m. Brand
new distance marker. Made off strong anodized
aluminum, making marker both elastic, strong and
rust free. V shape for better stacking. 35cm high and
30cm wide.

art 1109427

Distance Marker Plus 30-90 m



art 1109425

Distance Marker Plus 35-95m

Set of 7 pcs distance markers with 35, 45, 55, 65, 75, 85 and 95 m. Brand new distance marker. Made off strong anodized aluminum, making marker both elastic, strong and rust free. V shape for better stacking. 35cm high and 30cm wide.



Hammer circle

war

Hammer circle of steel for embedment. IAAF certified no E-99-0012.

art 5121458




Discus circle



Discus circle of steel for embedment. IAAF certified no E-99-0014.

art 6160452



Shot put circle



A shot put circle of steel for embedment. IAAF certified no E-99-0013.

art 5140454



Hammer concentric cirlce

Wooden segments quickly convert your pre-existing, already set discus ring into a hammer ring. The IAAF recommends one throwing circle for both hammer and discus events with the use of a conversion circle.

art 5121462



Wooden toe-board



Toe-board made of white painted slow growing hard pine wood.

art 5140265



Net for throwing sector


Marks boundary of throwing sector. 70m long and 50 cm high. 35 netholders included. art 7970002.




Protection throwing circles

Protection cover for throwing circles made of fibreglass.

art 5121470.









Shot put circle indoor

Moveable shot put circle with toe board of fibreglass, provided with handles. Filled with laminated wood which has been surface treated to avoid slipperiness. Diameter 2,135 m, inside 1,4 – 2,6 cm under the circle's upper edge according to IAAF's regulations.



Training accessories



1. Nocken balls 400 g

The ideal ball for javelin training when real javelins cannot be used.

art 7950400

1. Nocken balls 600 g

art 7950600

1. Nocken balls 800 g

art 7950800

2. Throwing ball $80\ g$

Made of rifled plastic for good grip. art 7962080

2. Throwing ball 150 g

art 7962150

2. Throwing ball 200 g

art 7962200

2. Throwing ball 300 g

art 7962300

2. Throwing ball 400 g

art 7962400

3. Javelin indoor device

For placing on the javelin point when throwing indoors toward a net.

art 7900000



Running parachute

A small parachute for resistance running, made from nylon. With belt.

art 1100250



Expander

Made of elastic rubber band. art 1090200

J-heel

Converts an ordinary shoe into a track shoe for jumpers and throwers.



Medicine ball rubber 1 kg

A very durable synthetic medicine ball with rifled surface for perfect grip.

art 7960100

Medicine ball rubber 1.5 kg

art 7960150

Medicine ball rubber 2 kg

art 7960200

Medicine ball rubber 3 kg

art 7960300

Medicine ball rubber 4 kg

art 7960400

Medicine ball rubber 5 kg

art 7960500

Medicine ball rubber 6 kg

art 7960600

Medicine ball rubber 7 kg

art 7960700

Medicine ball rubber 11 kg

art 7960110



Marker cone 28 cm red

art 1010057

Marker cone 40 cm

Red

art 1010055

Marker cone 40 cm

Yellow

art 1010056



Indoor hammer 1 kg

For indoor training. art 5122100

Indoor hammer 2 kg

art 5122200

Indoor hammer 3 kg

art 5122300

Indoor hammer 4 kg

art 5122400

Indoor hammer 5 kg

art 5122500

Indoor hammer 6 kg

art 5122600



Nordic Jump-Hi 2.0 m

Stiff play-pole for children.

art 3100001

Nordic Jump-Hi 3.0 m

Stiff play-pole for children.

Thermopad Back lumbago S Thermopad Ankle XL Thermopad Knee volleyball M A thermopad with very good heating and support for back and stomach that can be after tension. Both art 1086425 art 1086433 prophylactic and rehabilitative intention. Size: S art 1086292 Thermopad Ankle XXL Thermopad Knee volleyball L Thermopad Back lumbago M art 1086426 art 1086434 art 1086293 Thermopad Thigh S Thermopad Knee volleyball XL Thermopad Back lumbago L art 1086362 art 1086435 art 1086294 Thermopad Thigh M Thermopad Vest S Thermopad Back lumbago XL art 1086363 art 1086402 art 1086295 Thermopad Thigh L Thermopad Vest M Thermopad Back Lumbago XXL art 1086364 art 1086403 art 1086296 Thermopad Thigh XL Thermopad Vest L Thermopad Pants S art 1086365 art 1086404 art 1086412 Thermopad Elbow basic S Thermopad Vest XL Thermopad Pants M art 1086382 art 1086405 art 1086413 Thermopad Vest XXL Thermopad Elbow basic M Thermopad Pants L art 1086406 art 1086383 art 1086414 Thermopad Ankle S Thermopad Elbow basic L **Thermopad Pants XL** art 1086422 art 1086384 art 1086415 Thermopad Ankle M Thermopad Elbow basic XL Thermopad Pants XXL art 1086423 art 1086385

Thermopad Ankle L Thermopad Elbow reinforced S

art 1086424 art 1086392

art 1086432

art 1086416

Thermopad Knee volleyball S

Thermopad Elbow reinforced M	Thermopad Knee basic M	Termopad Wrist right S
art 1086393	art 1086343	art 1086312
Thermopad Elbow reinforced L	Thermopad Knee basic L	Termopad Wrist right M
art 1086394	art 1086344	art 1086313
Thermopad Elbow reinforced XL	Thermopad Knee basic XL	Termopad Wrist right L
art 1086395	art 1086345	art 1086314
Thermopad Calf M	Thermopad Knee patella S	Termopad Wrist right XL
art 1086373	art 1086332	art 1086315
Thermopad Calf L	Thermopad Knee patella M	Thermopad Wrist left S
art 1086374	art 1086333	art 1086302
Thermopad Calf XL	Thermopad Knee patella L	Termopad Wrist left M
art 1086375	art 1086334	art 1086303
Thermopad Knee reinforced S	Thermopad Knee patella XL	Termopad Wrist left L
art 1086352	art 1086335	art 1086304
Thermopad Knee reinforced M	Thermopad Knee hinged S	Termopad Wrist left XL
art 1086353	art 1086322	art 1086305
Thermopad Knee reinforced L	Thermopad Knee hinged M	Thermopad Back single M
art 1086354	art 1086323	art 1086283
Thermopad Knee reinforced XL	Thermopad Knee hinged L	Thermopad Back single L
art 1086355	art 1086324	art 1086284
Thermopad Knee basic S	Thermopad Knee hinged XL	Thermopad Back single XL
art 1086342	art 1086325	art 1086285

1. OFFER (QUOTATION)

A. Period of validity

An offer is valid for one month from the date of the offer for delivery within 3 months from the date of the offer. unless otherwise stated.

B. Deviations from offer

If the purchaser makes exceptions or changes in the offer, Nordic Sport retains the right to make a new agreement concerning conditions of sale.

2. ORDER

An order is considered as a collected reservation for delivery to an address on one and the same occasion and with one invoice.

A. This is where you make your order

The order can be made directly to Nordic Sport's offices or representatives, verbally or in writing. Once the request has been received, confirmation can be made via written order confirmation.

3. CONDITIONS

A. General

As a basis for invoicing and discounting, the price at the time of delivery applies, excl. VAT, order costs, charges, freight, packaging and insurance costs.

B. When offering

Offered prices, that shall normally be fixed during the validity of the offer, are net excl. VAT order costs. charges, freight, packaging and insurance costs.

If, during the offer's validity period, changes of exchange rates, changes of raw material and import prices or other price changes that are outside the control of Nordic Sports influence and control occur, then Nordic Sport retains the right to make corresponding adjustments to the offered price.

4. CONDITIONS OF PAYMENT

Payment shall be made within 10 days net, alternatively C.O.D, and is calculated, unless otherwise stated, from the invoice date. If payment is not made within the stated time, Nordic Sport will charge interest in accordance with a rate of interest that is adapted to the actual rate of interest which is also stated on the invoice.

5. DELIVERY

A. Delivery time

Delivery will be made directly unless otherwise stated.

B. Reception of goods

If items are missing this shall be stated on the freight note before acknowledging delivery. Delivered goods shall be immediately placed in an area with normal heating and air humidity by the recipient, unless otherwise stated.

C. Damage

Delivered goods shall be immediately inspected on reception. The purchaser shall, within 7 days, report any transport damage to the transporting company.

Note: goods damaged in transport shall not normally be returned to Nordic Sport. If the goods are such that require assembly and the purchaser and Nordic Sport

are in agreement concerning assembly, the inspection shall be performed either directly after reception or if the goods have been put aside for assembly, immediately after unpacking.

D. Claims

Claims must always be made within 14 days after the good's stamping date in order for the receiver to make a

Note: goods that have been claimed by the receiver may only be returned after approval from Nordic Sport's

Comments concerning completed deliveries shall be made in writing to Nordic Sport within 30 days, where of a maximum of 10 % of the invoiced sum may be withheld until the delivery has been approved. Full payment shall however always be made within 90 days after the invoice date.

E. Returns

Independent of the reason for returning goods, returns are only allowed after agreement with a representative from the office in question, who will also explain how the return shall be handled. Returned goods shall always contain a list of the returned items, or a completed return slip from one of our offices.

All returned goods shall be sent via Schenker as freight goods or alternatively via Schenker as parcel or post packet.

Returns due to faults caused by the purchaser can only be approved for undamaged goods in their original packaging. For such returns, the purchaser will be charged 20 % of the value of the goods. Freight and packaging costs shall be paid by the purchaser.

F. Force Maieure etc.

Hindrances for complete delivery caused by war, fire, or other force majeure, cessation of work, lack of workforce, shortage of raw materials, delays from subcontractors, measures from the state or other similar situations outside Nordic Sport's control, entitle Nordic Sport to necessary lengthening of the delivery time. If hindrances that occur make it impossible to complete a delivery or in an essential way complicate it, then Nordic Sport are released from the need to complete the same. For deliveries that due to the above have been delayed or omitted, Nordic Sport retains the right to be free from responsibility.

6. ADMINISTRATION CHARGES

Are charged according to the following conditions: Written order and telephone order: 25 sek for order values up to 500 sek exclusive VAT. With order values exceeding 500 kr there will be no administrative charge.

7. PALLET CHARGE

For palleted deliveries, a charge of 110 sek per normal pallet, 160 sek per long pallet, 1,500 sek per steel pallet and 4,000 sek per steel cage will be forwarded to the purchaser. Steel pallet and steel cage costs will be credited when returned to Nordic Sport.

8. ASSEMBLY

If assembly is included, any alteration work is charged as extra. The purchaser shall make sure that there is sufficient electrical power and lighting in the premises in

question and that these have been prepared, since connection of high voltage power and water & waste units is not included in Nordic Sport's undertaking. If assembly cannot be concluded in a complete sequence and this is not due to Nordic Sport, then Nordic Sport has the right to charge for any extra journeys and associated other costs

Once the assembly has been completed, the purchaser shall inspect the performed work. Any criticism shall be made immediately and then be confirmed in writing. Assembly is performed by Nordic Sport's fitters to an offered price.

The fitters work only in accordance with assembly instructions from Nordic Sport and may not, without written agreement between the purchaser and Nordic Sport, perform work that deviates from the instructions.

9. GUARANTEE

For manufacturing and material faults, Nordic Sport leaves a guarantee, which comprises 1 years guarantee counted from the day of delivery, assuming that the goods have been placed in a suitable premises.

The guarantee means that Nordic Sport is responsible for deciding if the goods should be repaired or replaced.

Damage during transport, when unloading, unpacking, carrying and placing and through unsuitable handling, is not the responsibility of Nordic Sport.

10. OWNERSHIP

Proposals, sketches, constructions, drawings and other offer documents are Nordic Sport's property and may not, without specific agreement, be used by the purchaser or be passed on to a third party.

11. VIEWING DELIVERY

After agreement, certain items can be delivered for viewing. Viewing items are invoiced on delivery. If the items are not returned within two weeks from date of delivery, they are assumed to have been ordered. If the items are returned within the stated time, the customer will be credited with the invoiced amount.

12. MODEL ALTERATIONS

Nordic Sport retain the right to alterations of models and designs.

13. SPECIAL CONDITIONS

In cases of fitting contracting, a general mutual contract is used, based on AB 72 (general conditions for building, plant and installation contracts from 1972, Svenska Teknologiföreningen, form 20:72) with additions and alterations.

Nordic Sport are not responsible for printing errors or products that are sold out.

Product register _____

A
Accusplit Eagle
Accusplit Pro Survivor
Accusplit Survivor II
Airglider Carbon flex 4.5
Airglider Steel flex 6.1
Aluminium curbing
Athena 2.049
Aura Fiber glas flex 6,418
B
Basket for clothes
Budget Scale74
C
Cart for sector lines92
Cassette black 0-9
Cassette red o-9
Centre of gravity device
Champion 2.051
Champion 2.0 Monocube
Champion Double51
Champion Steel flex 6.4
Comet Alu 400 flex 12.9
Comet Alu 500 flex 12.6
Comet Alu 600 flex 12.1
Comet Alu 700 flex 11.7
Comet Alu 800 flex 11.4
Competition 1.5 Monocube47
Competition 2.0
Competition 2.0 Monocube47
Crossbar fibreglass 4.0 m43
Crossbar placer40
_
D
Diana Carbon flex 5.318
Diana Classic flex 6.8
Diana Classic flex 7.2
Diana Classic flex 7.7
Diana Steel flex 6.2
Discipline clock Electronic76
Discus bag big
Discus bag small
Discus cage
Discus gauge 1-1.5 kg
Discus Golda kg
Discus Gold 1 kg
Discus Plus 1.5 kg
Discus Plus 1.25 kg
Discus Plus 1 kg
Discus Plus 2 kg
Discus Super Spin brass 1.0 kg
Discus Super Spin brass 1.75kg
Discus Super Spin brass 2.0 kg
Distance marker Elite set 22 m93
Distance marker Elite set 90 m93
Distance marker Elite set 95 m93

E	
Eagle Carbon flex 5.1	.22
Eagle flex 6.1	.22
Electronic lap counter	.69
Electronic lap counter	.76
Electronic scale 0.1 g	.74
Electronic scale 1.0 g	.74
Elite High Jump standard	42
Euro Cup 2.0	47
Euro Cup 2.0 Monocube	47
Expander	.97
F	
Fibreglass measuring tape 10 m	.76
Fibreglass measuring tape 20 m	.76
Fibreglass measuring tape 30 m	.76
Fibreglass measuring tape 50 m	.76
Fibreglass measuring tape 100m	.76
Finish line posts	.69
G	
Garage for landing pit	-54
Gerd Kanter Edition 1 kg	.78
Gerd Kanter Edition II 2 kg	.78
Glue spray 150 ml	.85
Ground Covers for pits	-55
H	
Hammer brass 3 kg	.83
Hammer brass 4 kg	.83
Hammer brass 5.5 kg	
Hammer Brass 5 kg	
Hammer brass 6.25 kg	
Hammer brass 6 kg	
Hammer brass 7.26 kg	
Hammer cage Alu IAAF	
Hammer cage Steel IAAF	
Hammer cart	
Hammer concentric cirlce	
Hammer glove left L	
Hammer glove left M	
Hammer glove left S	
Hammer glove left XL	.84
Hammer glove right L	
Hammer glove right M	
Hammer glove right XL	
Hammer handle Eco Grip	
Hammer stainless steel 4 kg	
Hammer stainless steel 5 kg	
Hammer stainless steel 6 kg	
Hammer stainless steel 7.26 kg	
Hammer stainless steel 7.26 kg	
Hammer Turned Iron 2 kg	
Hammer Turned Iron 3 kg	
Hammer Turned Iron 4 kg	
Hammer Turned Iron 5.5 kg	
Hammer Turned Iron 5 kg	
Hammer Turned Iron 6.25 kg	
Hammer Turned Iron 6 kg	_
_	.03 22

Hammer Turned Iron 8 kg83	
Hammer Turned Iron 9 kg83	3
Hammer Turned Iron 10 kg83	3
Hammer wire 700mm85	5
Hammer wire 780 mm85	
Hammer wire 870 mm85	
Hammer wire 950 mm	-
Hammer wire 960 mm	
Hammer wire 970 mm	
Hammer wire 980 mm	
Hammer wire 990 mm	
HJ Elit 1.045	-
HJ measuring device	-
HJ measuring pole	
Hurdle Alu-Matic	
Hurdle Alu Viking 2.065	
Hurdle cart 10	
Hurdle crossbar65	
	•
1	
Implement retriever Radio89	9
Indicator board 2-in-158	3
Indoor hammer 1 kg	3
Indoor hammer 2 kg 84, 98	
Indoor hammer 3 kg	3
Indoor hammer 4 kg	3
Indoor hammer 5 kg	
Indoor hammer 6 kg	3
Indra Carbon flex 5.118	
Indra Steel flex 6.o21	1
ilidia Steet ilex 0.0	-
	-
J	
Javelin control device	5
Javelin control device	5
Javelin control device	5 7 5
Javelin control device	5 7 5
Javelin control device	5 7 5
J Javelin control device	5 7 5 7
Javelin control device	5 7 5 7
J Javelin control device	5 7 5 7
J Javelin control device	5 7 5 7 1 1 9
J Javelin control device	5 7 5 7 1 1 9 6
J Javelin control device	5 7 5 7 1 1 9 6 4
J Javelin control device	5 7 5 7 1 1 9 6 4 9
J Javelin control device	5 7 5 7 1 1 1 9 9
J Javelin control device	5757
J Javelin control device	5 7 5 7 1 1 9 9 9 2
J Javelin control device	5 7 5 7 1 1 9 6 4 9 9 2 1
J Javelin control device	5757 1196 499211
J Javelin control device	5757 1196 499211
J Javelin control device	5757 1196 499211
J Javelin control device	5 7 5 7 1 1 9 6 4 9 9 1 1 1 2
J Javelin control device	5 7 5 7 1 1 1 9 9 9 1 1 1 2 8
J Javelin control device	57 57 11 99 11 12 88 22
J Javelin control device	5757 119649992112 8827
J Javelin control device	5757 119649921112 88277
J Javelin control device	5757 1196499921112 882770

Measuring wheel	73	Sand rake 3 m	58	Steel measuring tape 50 m	76
Medicine ball rubber 1.5 kg	98	School	48	Steel measuring tape 100 m	76
Medicine ball rubber 1 kg	•	Sector flag	95	Steeplechase hurdle 3.96 m	-
Medicine ball rubber 2 kg		Sector line Plastic		Steeplechase hurdle 5.0 m	
Medicine ball rubber 3 kg	-	Sector line Plus	•	Super 4.o	
Medicine ball rubber 4 kg	-	Seiko system watch w printer	,	Super 4.0 Monocube	
Medicine ball rubber 5 kg	,	Shot Brass 3,okg 85 mm		Super Elite 500 flex 6.9	•
Medicine ball rubber 6 kg	-	Shot brass 4 kg		Super Elite 700 flex 6.8	
Mini hurdle 6" (6 pcs)	-	Shot brass 5.5 kg		Super Elite 800 flex 6.8	
Mini hurdle 12" (6 pcs)	-	Shot brass 5 kg		Super Elite Classic flex 7.0	
(-	······································	Shot brass 6.25 kg		Super Elite Classic flex 7.2	
N		Shot brass 6 kg		Super Spin brass 1,5 kg	
Net for throwing sector	88. 95	Shot brass 7.26 kg		Super Spin steel 1,5 kg	
Nocken balls 400 g		Shot channel		Super Spin steel 1,75 kg	
Nocken balls 600 g		Shot indoor 1.5 kg	,	Super Spin steel 1 kg	
Nocken balls 800 g		Shot indoor 1 kg		Super Spin steel 2 kg	
Nordic Classic 600 flex 8.5		Shot indoor 2.5 kg		Super Spin Steet 2 Ng	
Nordic Classic 600 flex 8.8		Shot indoor 2 kg		Т	
Nordic Classic 600 flex 9.2		Shot indoor 2 kg		Take-off board markers	
Nordic Classic 700 flex 8.3		Shot indoor 4 kg		Telescopic measuring device	
Nordic Classic 700 flex 8.3 Nordic Classic 800 flex 8.4		Shot indoor 5.5 kg		Termopad Wrist left L	•
Nordic Classic 800 flex 8.4 Nordic Classic 800 flex 8.7	•	Shot indoor 5 kg		Termopad Wrist left M	
Nordic Evolution				Termopad Wrist left XL	
	,	Shot indoor 6.25 kg		Termopad Wrist right L	
Nordic Fly-Hi Javelin	•	Shot indoor 6 kg		,	
Nordic Jump-Hi 2.0 m	-	Shot indoor 7.26 kg		Termopad Wrist right M	
Nordic Pole	32	Shot lift	•	Termopad Wrist right S	
		Shot Olympic Super 120 mm		Termopad Wrist right XL	
0		Shot Olympic Super 125 mm		Thermopad Ankle L	
Olympia Carbon flex 5.9	18	Shot Olympic Super 128 mm		Thermopad Ankle M	
Olympic 2.0	45	Shot put cart	•	Thermopad Ankle S	
Orbit Carbon flex 5.0	15	Shot put circle indoor	-	Thermopad Ankle XL	
Orbit Steel flex 6.6	17	Shot put mat indoor	-	Thermopad Ankle XXL	
		Shot stainless steel 3 kg		Thermopad Back lumbago L	
P		Shot stainless steel 4 kg		Thermopad Back lumbago M	
Paper roll for 1154129	73	Shot stainless steel 4 kg		Thermopad Back lumbago S	
Photo Finish System		Shot stainless steel 5 kg		Thermopad Back lumbago XL	
Plasticine	57	Shot stainless steel 6 kg		Thermopad Back Lumbago XXL	
Pole rack mobile	39	Shot stainless steel 7.26 kg		Thermopad Back single L	
Protection Pads Athena	49	Shot steel 4 kg 100 mm		Thermopad Back single M	
Protection Pads for PV Elit	49	Shot steel 4 kg 104 mm		Thermopad Back single XL	
Protection Pads for WC Double		Shot steel 4 kg 108 mm		Thermopad Calf L	
Protection Pads World Cup 4.o	_	Shot Turned Iron 1 kg		Thermopad Calf M	
Protection throwing circles	-	Shot Turned Iron 2 kg		Thermopad Calf XL	
PV Elit 1.0		Shot Turned Iron 3 kg	81	Thermopad Elbow basic L	99
		Shot Turned Iron 4 kg		Thermopad Elbow basic M	99
R		Shot Turned Iron 5.5 kg	81	Thermopad Elbow basic S	
Rake 14 pins	£8	Shot Turned Iron 5 kg	81	Thermopad Elbow basic XL	99
Razer Carbon 500 flex 5.8	-	Shot Turned Iron 6.25 kg	81	Thermopad Elbow reinforced L	100
Razer Steel 500 flex 6.2	_	Shot Turned Iron 6 kg	81	Thermopad Elbow reinforced M	100
Reac time	-	Shot Turned Iron 7.26 kg	81	Thermopad Elbow reinforced S	99
Relay Baton Plastic		Shot Turned Iron 9 kg	81	Thermopad Elbow reinforced XL	100
•		Shot Turned Iron 10 kg	81	Thermopad Knee basic L	100
Relay batons aluminium		Sliding caliper	75	Thermopad Knee basic M	100
Rocket Steel 400 flex 6.3		Spare pins	58	Thermopad Knee basic S	100
Running parachute		Spiked shoe protector	56	Thermopad Knee basic XL	100
Runway markers	44,5/	Starter's stand high	62	Thermopad Knee hinged L	100
8		Starting block cart		Thermopad Knee hinged M	
S		Starting block Competition		Thermopad Knee hinged S	
Safety Mat 200x150x30		Starting block Olympic		Thermopad Knee hinged XL	
Safety Mat 300x200x25		Starting block Plus		Thermopad Knee patella L	
Safety Mat 300x250x30		Steel measuring tape 10 m		Thermopad Knee patella M	
			·		
Safety Mat 400x200x30	53			-	
Safety Mat 350x180x30Safety Mat 400x200x30Safety Mat 400x200x40	53	Steel measuring tape 20 m Steel measuring tape 30 m	76	Thermopad Knee patella S Thermopad Knee patella XL	

Thermopad Knee reinforced L100
Thermopad Knee reinforced M100
Thermopad Knee reinforced S100
Thermopad Knee reinforced XL100
Thermopad Knee volleyball L99
Thermopad Knee volleyball M99
Thermopad Knee volleyball S99
Thermopad Knee volleyball XL99
Thermopad Pants L99
Thermopad Pants M99
Thermopad Pants S99
Thermopad Pants XL99
Thermopad Pants XXL99
Thermopad Thigh L99
Thermopad Thigh M99
Thermopad Thigh S99
Thermopad Thigh XL
Thermopad Vest L99
Thermopad Vest M99
Thermopad Vest S99
Thermopad Vest XL99
Thermopad Vest XXL
Thermopad Wrist left S
Thorkildsen Edition14
Throwing ball 80 g
Throwing ball 150 g
Throwing ball 200 g97
Throwing ball 300 g
Throwing ball 400 g97
Throwing cage indoors
Throwing weight 5.45 kg
Throwing weight 7.26 kg
Throwing weight 9 kg85
Throwing weight 9 kg
Throwing weight 9 kg
Throwing weight 9 kg. 85 Throwing weight 11.3 kg. 85 Throwing weight 15.9 kg. 85 Throwing weight 25.3 kg. 85
Throwing weight 9 kg

Viking rubber 1.5 kg	80
Viking rubber 1.25 kg	80
Viking rubber 1.75 kg	80
Viking rubber 1 kg	80
Viking rubber 2 kg	80
Viking wood o.6 kg	80
Viking wood o.8 kg	80
Viking wood 0.75 kg	80
Viking wood 1.5 kg	
Viking wood 1.25 kg	80
Viking wood 1.75 kg	80
Viking wood 1 kg	80
Viking wood 2 kg	80
w	
Waterjump steeplechase hurdle	66
Weather cover	
Weather Cover Champion 2.0 pit	
Weather Cover Competition 2.0	
Weather Cover Euro Cup 2.0	
Weather Cover for Athena PV	
Weather cover for Champion D	
Weather Cover for HJ Elite 1.0	
Weather Cover for PV Elite 1.0	
Weather cover for World Cup D	
Weather Cover School	48
Weather Cover Super 4.o	46
Weather Cover World Cup 4.o	50
Winch for indoor cage	87
Wind gauge Lynx	74
Wind gauge Springco Compact	74
Wind indicator	
Winner's platform	69
Winner's stand	
Wooden toe-board	
World Cup 4.o	
World Cup 4.0 Monocube	
World Cup Double	51
X	
Xena Carbon flex 5.6	18
Xena Steel flex 6.5	
Z	
—	
Zeus Carbon flex 6.o	15

Comments	

Comments		
	_	
	-	
	-	
	-	
	-	
	_	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	

Comments	



Do **you** want to be the best?

HEAD OFFICE

Nordic Sport Anbudsgatan 2 931 57 Skellefteå Sweden +46 910 76 40 00

STOCKHOLM OFFICE

Nordic Sport Essingestråket 17 112 66 Stockholm Sweden +46 910 76 40 00

www.nordicsport.com

